

References

- [1] ADABALA N., FEI G., MAGNENAT-THALMANN N.: Visualization of woven cloth. In Dutré et al. [99], AF:2003:VOW pp. 178–185.
- [2] ADAMS A., LEVOY M.: General Linear Cameras with Finite Aperture. In Kautz and Pattanaik [198], EGSR07:121-126:2007 pp. 121–126.
- [3] AILA T., LAINE S.: Alias-Free Shadow Maps. In Keller and Jensen [202], pp. 161–166. EGSR04:161-166:2004
- [4] AKENINE-MOLLER T., ASSARSSON U.: Approximate soft shadows on arbitrary surfaces using penumbra wedges. In Debevec and Gibson [79]. AA:2002:ASS
- [5] AKENINE-MÖLLER T., HEIDRICH W. (Eds.): *Eurographics Workshop/ Symposium on Rendering* (Nicosia, Cyprus, 2006), Eurographics Association. EGSR06-proc
- [6] ANDERSON A. J., GRANT M.: Visulux: A radiosity based lighting design tool. In Brunet and Jansen [41], pp. 227–239. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Anderson:rend91-227
- [7] ANNEN T., KAUTZ J., DURAND F., SEIDEL H.-P.: Spherical Harmonic Gradients for Mid-Range Illumination. In Keller and Jensen [202], pp. 331–336. EGSR04:331-336:2004
- [8] ANNEN T., MERTENS T., BEKAERT P., SEIDEL H.-P., KAUTZ J.: Convolution Shadow Maps. In Kautz and Pattanaik [198], pp. 51–60. EGSR07:51-60:2007
- [9] APODACA A. A.: Photosurrealism. In Drettakis and Max [93], pp. 315–322. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Apodaca:rend98-315
- [10] ARNALDI B., PUEYO X., VILAPLANA J.: On the division of environnements by virtual walls for radiosity computation. In Brunet and Jansen [41], pp. 198–205. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Arnaldi:rend91-198
- [11] ARQUES D., MICHELIN S.: Proximity radiosity: Exploiting coherence to accelerate form factor computation. In Pueyo and Schröder [332], pp. 143–152. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Arques:rend96-143
- [12] ARTUSI A., BITTNER J., WIMMER M., WILKIE A.: Delivering interactivity to complex tone mapping operators. In Dutré et al. [99], pp. 038–044. AB:2003:DIT
- [13] ARVO J.: The rôle of functional analysis in global illumination. In Hanrahan and Purgathofer [164], pp. 115–126. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Arvo:rend95-115
- [14] ASENSIO F.: A hierarchical ray casting algorithm for radiosity shadows. In Chalmers et al. [49], pp. 179–188. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Asensio:rend92-179
- [15] ASHIKHMIN M.: A tone mapping algorithm for high contrast images. In Debevec and Gibson [79]. Ashikhmin:2002:ATM
- [16] AUPPERLE L., HANRAHAN P.: Importance and discrete three point transport. In Cohen et al. [66], pp. 85–94. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Aupperle:rend93-85
- [17] BALA K., DORSEY J., TELLER S.: Interactive ray traced scene editing using ray segment tree. In Lischinski and Larson [241], pp. 31–44. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Bala:rend99-31
- [18] BALA K., DUTRÉ P. (Eds.): *Eurographics Symposium on Rendering* (Konstanz, Germany, 2005), Eurographics Association. EGSR05-proc
- [19] BARANOSKI G. V. G., BRAMLEY R., SHIRLEY P.: Fast radiosity solutions for environnements with high average reflectance. In Hanrahan and Purgathofer [164], pp. 345–356. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Baranoski:rend95-345
- [20] BARLA P., THOLLOT J., SILLION F. X.: Geometric Clustering for Line Drawing Simplification. In Bala and Dutré [18], pp. 183–192. EGSR05:183-192:2005
- [21] BASTOS R. M., DE SOUSA A. A., FERREIRA F. N.: Reconstruction of illumination functions using hermite bicubic interpolation. In Cohen et al. [66], pp. 317–326. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Bastos:rend93-317
- [22] BAXTER W. V., SUD A., GOVINDARAJU N. K., MANOCHA D.: Gigawalk: Interactive walkthrough of complex environments. In Debevec and Gibson [79]. BS:2002:GIW
- [23] BEKAERT P., NEUMANN L., NEUMANN A., SBERT M., WILLEMS Y. D.: Hierarchical monte carlo radiosity. In Drettakis and Max [93], pp. 259–268. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Bekaert:rend98-259
- [24] BEKAERT P., SBERT M., HALTON J.: Accelerating path tracing by re-using paths. In Debevec and Gibson [79]. BS:2002:APT
- [25] BEKAERT P., WILLEMS Y.: Error control for radiosity. In Pueyo and Schröder [332], pp. 153–164. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Bekaert:rend96-153

- [26] BEKAERT P., WILLEMS Y. D.: Importance driven progressive refinement radiosity. In Hanrahan and Purgathofer [164], pp. 316–325. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Bekaert:rend95-316
- [27] BESUIEVSKY G., SBERT M.: The multi-frame lighting method: A monte carlo based solution for radiosity in dynamic environments. In Pueyo and Schröder [332], pp. 185–194. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Besuievsky:rend96-185
- [28] BHAT P., ZITNICK C. L., SNAVELY N., AGARWALA A., AGRAWALA M., COHEN M., CURLESS B., KANG S. B.: Using Photographs to Enhance Videos of a Static Scene. In Kautz and Pattanaik [198], pp. 327–338. EGSR07:327-338:2007
- [29] BHATE N., TOKUTA A.: Photorealistic volume rendering of media with directional scattering. In Chalmers et al. [49], pp. 227–246. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Bhate:rend92-227
- [30] BIARD L.: Parametric surfaces and ray tracing. In Bouatouch and Bouville [38], pp. 31–52. Proc. 1st Eurographics Rendering Workshop, Rennes, France, June 11–13, 1990. Biard:rend90-31
- [31] BITTNER J., WONKA P., WIMMER M.: Fast Exact From-Region Visibility in Urban Scenes. In Bala and Dutré [18], pp. 223–230. EGSR05:223-230:2005
- [32] BLASI P., SAËC B. L., SCHLICK C.: An importance driven monte carlo solution to the global illumination problem. In Sakas et al. [356], pp. 177–187. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Blasi:rend94-177
- [33] BLASI P., SAËC B. L., VIGNOLES G.: Application of rendering techniques to Monte Carlo physical simulation of gas diffusion. In Dorsey and Slusallek [88], pp. 297–308. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Blasi:rend97-297
- [34] BOHN C.-A.: Efficiently representing the radiosity kernel through learning. In Pueyo and Schröder [332], pp. 123–132. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Bohn:rend96-123
- [35] BOLIN M. R., MEYER G. W.: An error metric for Monte Carlo ray tracing. In Dorsey and Slusallek [88], pp. 57–68. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Bolin:rend97-57
- [36] BORAC S., FIUME E.: Wavelet based texture resampling. In Pueyo and Schröder [332], pp. 195–204. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Borac:rend96-195
- [37] BOTSCH M., WIRATANAYA A., KOBBELT L.: Efficient high quality rendering of point sampled geometry. In Debevec and Gibson [79]. BW:2002:EHQ
- [38] BOUATOUCH K., BOUVILLE C. (Eds.): *Eurographics Workshop on Photosimulation, Realism and Physics in Computer Graphics* (1990), Eurographics, Imprimerie de l’université de Rennes. Proc. 1st Eurographics Rendering Workshop, Rennes, France, June 11–13, 1990. EGrend90-proc
- [39] BOUVILLE C., BOUATOUCH K., TELLIER P., PUEYO X.: Theoretical analysis of global illumination models. In Bouatouch and Bouville [38], pp. 53–66. Proc. 1st Eurographics Rendering Workshop, Rennes, France, June 11–13, 1990. Bouville:rend90-53
- [40] BRIVIO P. A., FURINI P., RIGHETTI M., MARINI D.: Synthesis of multispectral images of natural landscape. In Brunet and Jansen [41], pp. 240–250. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Brivio:rend91-240
- [41] BRUNET P., JANSEN F. W. (Eds.): *Photorealistic Rendering in Computer Graphics* (1991), Eurographics, Springer-Verlag Berlin Heidelberg New York. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. EGrend91-proc
- [42] BURKE D., GHOSH A., HEIDRICH W.: Bidirectional Importance Sampling for Direct Illumination. In Bala and Dutré [18], pp. 147–156. EGSR05:147-156:2005
- [43] BUSTILLO E.: A neuro-evolutionary unbiased global illumination algorithm. In Dorsey and Slusallek [88], pp. 263–274. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Bustillo:rend97-263
- [44] CAMAHORT E., LERIOS A., FUSSELL D.: Uniformly sampled light fields. In Drettakis and Max [93], pp. 117–130. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Camahort:rend98-117
- [45] CAMERON G., UNDRILL P.: Rendering volumetric medical image data on a SIMD architecture computer. In Chalmers et al. [49], pp. 135–146. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Cameron:rend92-135
- [46] CAMMARANO M., JENSEN H. W.: Time dependent photon mapping. In Debevec and Gibson [79]. CJ:2002:TDP
- [47] CATER K., CHALMERS A., WARD G.: Detail to attention: Exploiting visual tasks for selective rendering. In Dutré et al. [99], pp. 270–280. CC:2003:DTA
- [48] CHALMERS A., NEUMANN L.: Computer graphics research in eastern europe. In Cohen et al. [66], pp. 307–316. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Chalmers:rend93-307

- [49] CHALMERS A., PADDON D., SILLION F. (Eds.): *Rendering Techniques '92* (1992), Eurographics, Consolidation Express Bristol. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. EGrend92-proc
- [50] CHALMERS A. G., PADDON D. J.: Parallel processing of progressive refinement radiosity methods. In Brunet and Jansen [41], pp. 149–159. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Chalmers:rend91-149
- [51] CHAN E., DURAND F.: Rendering fake soft shadows with smoothies. In Dutré et al. [99], pp. 208–218. CD:2003:RFS
- [52] CHAN E., DURAND F.: An Efficient Hybrid Shadow Rendering Algorithm. In Keller and Jensen [202], pp. 185–195. EGSR04:185-195:2004
- [53] CHIU K., SHIRLEY P.: Rendering, complexity, and perception. In Sakas et al. [356], pp. 21–36. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Chiu:rend94-21
- [54] CHIU K., ZIMMERMANN K., SHIRLEY P.: The light volume: An aid to rendering complex environments. In Pueyo and Schröder [332], pp. 1–10. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Chiu:rend96-1
- [55] CHONG H. Y., GORTLER S. J.: A Lixel for every Pixel. In Keller and Jensen [202], pp. 167–172. EGSR04:167-172:2004
- [56] CHOUDHURY P., TUMBLIN J.: The trilateral filter for high contrast images and meshes. In Dutré et al. [99], pp. 186–196. CT:2003:TTF
- [57] CHRISTENSEN P., SALESIN D., DE ROSE T.: A continuous adjoint formulation for radiance transport. In Cohen et al. [66], pp. 95–104. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Christensen:rend93-95
- [58] CHRISTENSEN P. H.: Global illumination for professional 3D animation, visualization, and special effects. In Dorsey and Slusallek [88], pp. 321–326. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Christensen:rend97-321
- [59] CHRISTENSEN P. H., BATALI D.: An Irradiance Atlas for Global Illumination in Complex Production Scenes. In Keller and Jensen [202], pp. 133–141. EGSR04:133-141:2004
- [60] CHRISTENSEN P., STOLLNITZ E., SALESIN D., DE ROSE T.: Wavelet radiance. In Sakas et al. [356], pp. 295–309. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Christensen:rend94-295
- [61] CHRYSANTHOU Y., SLATER M.: Incremental updates to scenes illuminated by area light sources. In Dorsey and Slusallek [88], pp. 103–114. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Chrysanthou:rend97-103
- [62] CLAVÉ S., GROSS M.: A rendering pipeline for street lighting simulation. In Brunet and Jansen [41], pp. 251–262. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Clave:rend91-251
- [63] CLINE D., EGBERT P. K., TALBOT J. F., CARDON D. L.: Two Stage Importance Sampling for Direct Lighting. In Akenine-Möller and Heidrich [5], pp. 103–113. EGSR06:103-113:2006
- [64] COCONU L., HEGE H.-C.: Hardware-accelerated point-based rendering of complex scenes. In Debevec and Gibson [79]. CH:2002:HAP
- [65] COHEN M.: Is image synthesis a solved problem? In Chalmers et al. [49], pp. 161–168. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Cohen:rend92-161
- [66] COHEN M., PUECH C., SILLION F. (Eds.): *Rendering Techniques '93* (1993), Eurographics, Consolidation Express Bristol. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. EGrend93-proc
- [67] COLE F., DECARLO D., FINKELSTEIN A., KIN K., MORLEY K., SANTELLA A.: Directing Gaze in 3D Models with Stylized Focus. In Akenine-Möller and Heidrich [5], pp. 377–387. EGSR06:377-387:2006
- [68] COLLINS S.: Adaptive splatting for specular to diffuse light transport. In Sakas et al. [356], pp. 121–135. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Collins:rend94-121
- [69] COLLINS S.: Reconstruction of illumination from area luminaires. In Hanrahan and Purgathofer [164], pp. 274–283. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Collins:rend95-274
- [70] COLLINS S.: Reconstructing the visual field of compound eyes. In Dorsey and Slusallek [88], pp. 81–92. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Collins:rend97-81
- [71] COOMBE G., HANTAK C., LASTRA A., GRZESZCZUK R.: Online Construction of Surface Light Fields. In Bala and Dutré [18], pp. 83–90. EGSR05:083-090:2005
- [72] COSTA A. C., SOUSA A. A., FERREIRA F. N.: Lighting design: A goal based approach using optimisation. In Lischinski and Larson [241], pp. 317–328. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Costa:rend99-317
- [73] DACHSBACHER C., STAMMINGER M.: Rendering Procedural Terrain by Geometry Image Warping. In Keller and Jensen [202], pp. 103–110. EGSR04:103-110:2004
- [74] DAMEZ C., SILLION F.: Space-time hierarchical radiosity. In Lischinski and Larson [241], pp. 235–246. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Damez:rend99-235

- [75] DAUBERT K., SCHIRMACHER H., SILLION F. X., DRETTAKIS G.: Hierarchical lighting simulation for outdoor scenes. In Dorsey and Slusallek [88], pp. 229–238. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Daubert:rend97-229
- [76] DAVID K. MCALLISTER L. F. N., POPESCU V., LASTRA A., MCCUE C.: Real-time rendering of real world environments. In Lischinski and Larson [241], pp. 145–160. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. McAllister:rend99-145
- [77] DAYAL A., WOOLLEY C., WATSON B., LUEBKE D.: Adaptive Frameless Rendering. In Bala and Dutré [18], pp. 265–275. EGSR05:265-275:2005
- [78] D CORET X., DEBUNNE G., SILLION F.: Erosion based visibility preprocessing. In Dutré et al. [99], pp. 281–288. DD:2003:EBV
- [79] DEBEVEC P., GIBSON S. (Eds.): *Proceedings of the 13th Eurographics workshop on Rendering* (Pisa, Italy, 2002), Eurographics Association. EGSR02-proc
- [80] DEBEVEC P. E., YU Y., BORSHUKOV G. D.: Efficient view-dependent image-based rendering with projective texture-mapping. In Drettakis and Max [93], pp. 105–116. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Debevec:rend98-105
- [81] DECAUDIN P., NEYRET F.: Rendering Forest Scenes in Real-Time. In Keller and Jensen [202], pp. 93–102. EGSR04:093-102:2004
- [82] D’EON E., LUEBKE D., ENDERTON E.: Efficient Rendering of Human Skin. In Kautz and Pattanaik [198], pp. 147–157. EGSR07:147-157:2007
- [83] DEVILLE P. M., PAUL J.-C.: Modeling the spatial energy distribution of complex light sources for lighting engineering. In Hanrahan and Purgathofer [164], pp. 147–159. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Deville:rend95-147
- [84] DISCHLER J.-M.: Efficient rendering macro geometric surface structures with bi-directional texture functions. In Drettakis and Max [93], pp. 169–180. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Dischler:rend98-169
- [85] DMITRIEV K., BRABEC S., MYSZKOWSKI K., SEIDEL H.-P.: Interactive global illumination using selective photon tracing. In Debevec and Gibson [79]. DB:2002:IGI
- [86] DONNER C., JENSEN H. W.: A Spectral BSSRDF for Shading Human Skin. In Akenine-Möller and Heidrich [5], pp. 409–417. EGSR06:409-417:2006
- [87] DONNER C., JENSEN H. W.: Rendering Translucent Materials Using Photon Diffusion. In Kautz and Pattanaik [198], pp. 243–251. EGSR07:243-251:2007
- [88] DORSEY J., SLUSALLEK P. (Eds.): *Rendering Techniques ’97* (1997), Eurographics, Springer-Verlag Wien New York. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. EGrend97-proc
- [89] DRETTAKIS G.: Simplifying the representation of radiance from multiple emitters. In Sakas et al. [356], pp. 264–280. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Drettakis:rend94-264
- [90] DRETTAKIS G., BONNEEL N., DACHSBACHER C., LEFEBVRE S., SCHWARZ M., VIAUD-DELMON I.: An Interactive Perceptual Rendering Pipeline using Contrast and Spatial Masking. In Kautz and Pattanaik [198], pp. 297–308. EGSR07:297-308:2007
- [91] DRETTAKIS G., FIUME E.: Structured-directed sampling, reconstruction and data representation for global illumination. In Brunet and Jansen [41], pp. 60–74. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Drettakis:rend91-60
- [92] DRETTAKIS G., FIUME E.: Concrete computation of global illumination using structured sampling. In Chalmers et al. [49], pp. 189–202. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Drettakis:rend92-189
- [93] DRETTAKIS G., MAX N. (Eds.): *Rendering Techniques ’98* (1998), Eurographics, Springer-Verlag Wien New York. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. EGrend98-proc
- [94] DRETTAKIS G., ROBERT L., BOUGNOUX S.: Interactive common illumination for computer augmented reality. In Dorsey and Slusallek [88], pp. 45–56. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Drettakis:rend97-45
- [95] DRETTAKIS G., SILLION F.: Accurate visibility and meshing calculation for hierarchical radiosity. In Pueyo and Schröder [332], pp. 269–278. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Drettakis:rend96-269
- [96] DRUCKER S., SCHRÖDER P.: Fast radiosity using a data parallel architecture. In Chalmers et al. [49], pp. 247–258. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Drucker:rend92-247
- [97] DURAND F., DRETTAKIS G., PUECH C.: The 3d visibility complex: A new approach to the problems of accurate visibility. In Pueyo and Schröder [332], pp. 245–256. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Durand:rend96-245

- [98] DUTRÉ P., BEKAERT P., SUYKENS F., Y.D.WILLEMS: Bidirectional radiosity. In Dorsey and Slusallek [88], pp. 205–216. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Dutre:rend97-205
- [99] DUTRÉ P., SUYKENS F., CHRISTENSEN P. H., COHEN-OR D. (Eds.): *Proceedings of the 14th Eurographics workshop on Rendering* (Leuven, Belgium, 2003), Eurographics Association. EGSR03-proc
- [100] DUTRÉ P., WILLEMS Y. D.: Importance-driven monte carlo light tracing. In Sakas et al. [356], pp. 188–200. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Dutre:rend94-188
- [101] DUTRÉ P., WILLEMS Y. D.: Potential-driven monte carlo particle tracing for diffuse environments with adaptive probability functions. In Hanrahan and Purgathofer [164], pp. 306–315. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Dutre:rend95-306
- [102] EINARSSON P., CHABERT C.-F., JONES A., MA W.-C., LAMOND B., HAWKINS T., BOLAS M., SYLWAN S., DEBEVEC P.: Relighting Human Locomotion with Flowed Reflectance Fields. In Akenine-Möller and Heidrich [5], pp. 183–194. EGSR06:183-194:2006
- [103] ESTALELLA P., MARTIN I., DRETTAKIS G., TOST D.: A GPU-driven Algorithm for Accurate Interactive Reflections on Curved Objects. In Akenine-Möller and Heidrich [5], pp. 313–318. EGSR06:313-318:2006
- [104] FAN S., CHENNEY S., CHI LAI Y.: Metropolis Photon Sampling with Optional User Guidance. In Bala and Dutré [18], pp. 127–138. EGSR05:127-138:2005
- [105] FEDA M., PURGATHOFER W.: Progressive refinement radiosity on a transputer network. In Brunet and Jansen [41], pp. 139–148. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Feda:rend91-139
- [106] FEDA M., PURGATHOFER W.: Accelerating ray tracing by overshooting. In Chalmers et al. [49], pp. 21–32. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Feda:rend92-21
- [107] FEDA M., PURGATHOFER W.: Progressive ray refinement for monte carlo radiosity. In Cohen et al. [66], pp. 15–26. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Feda:rend93-15
- [108] FEIXAS M., DEL ACEBO E., BEKAERT P., SBERT M.: Information theory for scene discretization. In Lischinski and Larson [241], pp. 95–106. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Feixas:rend99-95
- [109] FENG W.-W., PENG L., JIA Y., YU Y.: Large-Scale Data Management for PRT-Based Real-Time Rendering of Dynamically Skinned Models. In Kautz and Pattanaik [198], pp. 23–34. EGSR07:23-34:2007
- [110] FERNANDEZ S., BALA K., GREENBERG D. P.: Local illumination environments for direct lighting acceleration. In Debevec and Gibson [79]. FB:2002:LIE
- [111] FERTEY M. R. G., PEROCHE B.: Light sources in a ray tracing environment. In Bouatouch and Bouville [38], pp. 195–214. Proc. 1st Eurographics Rendering Workshop, Rennes, France, June 11–13, 1990. Roelens:rend90-195
- [112] FORSYTH D., YANG C., TEO K.: Efficient radiosity in dynamic environments. In Sakas et al. [356], pp. 329–338. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Forsyth:rend94-329
- [113] FOURNIER A.: From local to global illumination and back. In Hanrahan and Purgathofer [164], pp. 127–136. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Fournier:rend95-127
- [114] FOURNIER A.: Separating reflexion functions for linear radiosity. In Hanrahan and Purgathofer [164], pp. 296–305. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Fournier:rend95-296
- [115] FRADIN D., MENEVEAUX D., HORNA S.: Out of Core Photon-Mapping for Large Buildings. In Bala and Dutré [18], pp. 65–72. EGSR05:065-072:2005
- [116] FREEMAN W. T.: The Random Camera, the Coded Aperture Camera, and Other Cameras . In Kautz and Pattanaik [198], pp. 9–9. EGSR07:9-9:2007
- [117] FREUDENBERG B., MASUCH M., STROTHOTTE T.: Real-time halftoning: A primitive for non-photorealistic shading. In Debevec and Gibson [79]. FM:2002:APF
- [118] FU C.-W., LEUNG M.-K.: Texture Tiling on Arbitrary Topological Surfaces using Wang Tiles. In Bala and Dutré [18], pp. 99–104. EGSR05:099-104:2005
- [119] FU C.-W., WONG T.-T., HENG P.-A.: Computing visibility of triangulated panorama. In Lischinski and Larson [241], pp. 161–174. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Fu:rend99-161
- [120] FUCHS M., BLANZ V., SEIDEL H.-P.: Bayesian Relighting. In Bala and Dutré [18], pp. 157–164. EGSR05:157-164:2005
- [121] FURUKAWA R., KAWASAKI H., IKEUCHI K., SAKAUCHI M.: Appearance based object modeling using texture database: Acquisition compression and rendering. In Debevec and Gibson [79]. FK:2002:ABO
- [122] GAL R., SORKINE O., COHEN-OR D.: Feature-Aware Texturing. In Akenine-Möller and Heidrich [5], pp. 297–303. EGSR06:297-303:2006
- [123] GALSSNER A. S.: A model for fluorescence and phosphorescence. In Sakas et al. [356], pp. 60–70. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Glassner:rend94-60

- [124] GARG G., TALVALA E.-V., LEVOY M., LENSCH H. P. A.: Symmetric Photography: Exploiting Data-sparseness in Reflectance Fields. In Akenine-Möller and Heidrich [5], pp. 251–262. EGSR06:251-262:2006
- [125] GARG K., KRISHNAN G. G., NAYAR S. K.: Material Based Splashing of Water Drops . In Kautz and Pattanaik [198], pp. 171–182. EGSR07:171-182:2007
- [126] GARGAN D., NEELAMKAVIL F.: Approximating reflectance functions using neural networks. In Drettakis and Max [93], pp. 23–34. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Gargan:rend98-23
- [127] GATENBY N.: Global Illumination for the Masses . In Kautz and Pattanaik [198], pp. 11–11. EGSR07:11-11:2007
- [128] GATENBY N., HEWITT T.: Radiosity in computer graphics: A proposed alternative to the hemi-cube algorithm. In Brunet and Jansen [41], pp. 104–111. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Gatenby:rend91-104
- [129] GATENBY N., HEWITT T.: Optimizing discontinuity meshing radiosity. In Sakas et al. [356], pp. 254–263. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Gatenby:rend94-254
- [130] GAUTRON P., KRIVANEK J., PATTANAİK S., BOUATOUCH K.: A Novel Hemispherical Basis for Accurate and Efficient Rendering. In Keller and Jensen [202], pp. 321–330. EGSR04:321-330:2004
- [131] GAUTRON P., KRIVANEK J., BOUATOUCH K., PATTANAİK S.: Radiance Cache Splatting: A GPU-Friendly Global Illumination Algorithm. In Bala and Dutré [18], pp. 55–64. EGSR05:055-064:2005
- [132] GEIST R., RASCHE K., WESTALL J., SCHALKOFF R.: Lattice-Boltzmann Lighting. In Keller and Jensen [202], pp. 355–362. EGSR04:355-362:2004
- [133] GEORGEIV T., ZHENG K. C., CURLESS B., SALESIN D., NAYAR S., INTWALA C.: Spatio-Angular Resolution Tradeoffs in Integral Photography. In Akenine-Möller and Heidrich [5], pp. 263–272. EGSR06:263-272:2006
- [134] GEORGHIADES A.: Recovering 3-d shape and reflectance from a small number of photographs. In Dutré et al. [99], pp. 230–240. Georghiades:2003:R3D
- [135] GERSHBEIN R.: Integration methods for galerkin radiosity coupling. In Hanrahan and Purgathofer [164], pp. 264–273. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Gershbein:rend95-264
- [136] GHOSH A., DOUCET A., HEIDRICH W.: Sequential Sampling for Dynamic Environment Map Illumination. In Akenine-Möller and Heidrich [5], pp. 115–126. EGSR06:115-126:2006
- [137] GHOSH A., TRENTACOSTE M., SEETZEN H., HEIDRICH W.: Real Illumination from Virtual Environments. In Bala and Dutré [18], pp. 243–252. EGSR05:243-252:2005
- [138] GIBSON S., COOK J., HOWARD T., HUBBOLD R.: Rapid shadow generation in real-world lighting environments. In Dutré et al. [99], pp. 219–229. GC:2003:RSG
- [139] GLASSNER A.: Dynamic stratification. In Cohen et al. [66], pp. 5–14. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Glassner:rend93-5
- [140] GOODNIGHT N., WANG R., WOOLLEY C., HUMPHREYS G.: Interactive time-dependent tone mapping using programmable graphics hardware. In Dutré et al. [99], pp. 026–037. GW:2003:ITD
- [141] GOSTMAN C.: Constant-time filtering by singular value decomposition. In Cohen et al. [66], pp. 145–156. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Gostman:rend93-145
- [142] GRABLI S., TURQUIN E., DURAND F., SILLION F. X.: Programmable Style for NPR Line Drawing. In Keller and Jensen [202], pp. 33–44. EGSR04:033-044:2004
- [143] GREEN S.: Beyond photorealism. In Lischinski and Larson [241], pp. 341–352. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Green:rend99-341
- [144] GREENBERG D. P.: Disruptive technologies in computer graphics: Past and present and future. In Lischinski and Larson [241], pp. 1–4. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Greenberg:rend99-1
- [145] GREINER G., HEIDRICH W., SLUSALLEK P.: Blockwise refinement - a new method for solving the radiosity problem. In Cohen et al. [66], pp. 233–246. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Greiner:rend93-233
- [146] GRÖLLER E., RAU R. T., STRASSER W.: Modeling textiles as three dimensional textures. In Pueyo and Schröder [332], pp. 205–214. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Groller:rend96-205
- [147] GROSSMAN J., DALLY W. J.: Point sample rendering. In Drettakis and Max [93], pp. 181–192. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Grossman:rend98-181
- [148] GU J., RAMAMOORTHY R., BELHUMEUR P., NAYAR S.: Dirty Glass: Rendering Contamination on Transparent Surfaces . In Kautz and Pattanaik [198], pp. 159–170. EGSR07:159-170:2007
- [149] GU X., GORTLER S. J., COHEN M. F.: Polyhedral geometry and the two-plane parameterization. In Dorsey and Slusallek [88], pp. 1–12. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Gu:rend97-1

- [150] GUAS M. P., MÜLLER S.: Mesh redistribution in radiosity. In Cohen et al. [66], pp. 327–336. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Aguas:rend93-327
- [151] GUENNEBAUD G., BARTHE L., PAULIN M.: Real-time Soft Shadow Mapping by Backprojection. In Akenine-Möller and Heidrich [5], pp. 227–234. EGSR06:227-234:2006
- [152] GUITTON P., JEAN ROMAN, SCHLICK C.: Two parallel approaches for a progressive radiosity. In Brunet and Jansen [41], pp. 160–170. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Guitton:rend91-160
- [153] GUITTON P., SCHLICK C.: A methodology for description of texturing methods. In Cohen et al. [66], pp. 267–280. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Guitton:rend93-267
- [154] GÜNTHER J., WALD I., SLUSALLEK P.: Realtime Caustics Using Distributed Photon Mapping. In Keller and Jensen [202], pp. 111–121. EGSR04:111-121:2004
- [155] GUTHE M., BORODIN P., KOS BAL ZS, KLEIN R.: Real-time appearance preserving out-of-core rendering with shadows. In Keller and Jensen [202], pp. 69–79. EGSR04:069-079:2004
- [156] GUTHE M., KOS BAL ZS, KLEIN R.: Near Optimal Hierarchical Culling: Performance Driven Use of Hardware Occlusion Queries. In Akenine-Möller and Heidrich [5], pp. 207–214. EGSR06:207-214:2006
- [157] GUTIERREZ D., MUNOZ A., ANSON O., SERON F. J.: Non-linear Volume Photon Mapping. In Bala and Dutré [18], pp. 291–300. EGSR05:291-300:2005
- [158] HAAS S., SAKAS G.: Methods for efficient sampling of arbitrary distributed volume densities. In Bouatouch and Bouville [38], pp. 215–227. Proc. 1st Eurographics Rendering Workshop, Rennes, France, June 11–13, 1990. Haas:rend90-215
- [159] HABEL R., KUSTERNIG A., WIMMER M.: Physically Based Real-Time Translucency for Leaves. In Kautz and Pattanaik [198], pp. 253–263. EGSR07:253-263:2007
- [160] HAEBERLI P., SEGAL M.: Texture mapping as a fundamental drawing primitive. In Cohen et al. [66], pp. 259–266. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Haeberli:rend93-259
- [161] HAINES E. A., WALLACE J. R.: Shaft culling for efficient ray-cast radiosity. In Brunet and Jansen [41], pp. 122–138. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Haines:rend91-122
- [162] HANRAHAN P.: How to solve it? In Cohen et al. [66], pp. 175–176. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Hanrahan:rend93-175
- [163] HANRAHAN P., SALZMAN D.: A rapid hierarchical radiosity for unoccluded environments. In Bouatouch and Bouville [38], pp. 151–172. Proc. 1st Eurographics Rendering Workshop, Rennes, France, June 11–13, 1990. Hanrahan:rend90-151
- [164] HANRAHAN P. M., PURGATHOFER W. (Eds.): *Rendering Techniques '95* (1995), Eurographics, Springer-Verlag Wien New York. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. EGrend95-proc
- [165] HARDT S., TELLER S.: High-fidelity radiosity rendering at interactive rates. In Pueyo and Schröder [332], pp. 71–80. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Hardt:rend96-71
- [166] HASSELGREN J., AKENINE-MÖLLER T.: An Efficient Multi-View Rasterization Architecture. In Akenine-Möller and Heidrich [5], pp. 61–72. EGSR06:061-072:2006
- [167] HAUMONT D., MAKINEN O., NIRENSTEIN S.: A Low Dimensional Framework for Exact Polygon-to-Polygon Occlusion Queries. In Bala and Dutré [18], pp. 211–222. EGSR05:211-222:2005
- [168] HAVRAN V., BITTNER J., HERZOG R., SEIDEL H.-P.: Ray Maps for Global Illumination. In Bala and Dutré [18], pp. 43–54. EGSR05:043-054:2005
- [169] HAVRAN V., SMYK M., KRAWCZYK G., MYSZKOWSKI K., SEIDEL H.-P.: Interactive System for Dynamic Scene Lighting using Captured Video Environment Maps. In Bala and Dutré [18], pp. 31–42. EGSR05:031-042:2005
- [170] HAWKINS T., EINARSSON P., DEBEVEC P.: A Dual Light Stage. In Bala and Dutré [18], pp. 91–98. EGSR05:091-098:2005
- [171] HAWKINS T., WENGER A., TCHOU C., GARDNER A., GRANSSON F., DEBEVEC P.: Animatable Facial Reflectance Fields. In Keller and Jensen [202], pp. 309–319. EGSR04:309-319:2004
- [172] HECKBERT P. S.: Discontinuity meshing for radiosity. In Chalmers et al. [49], pp. 203–216. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Heckbert:rend92-203
- [173] HEDLEY D., WORRALL A., PADDON D.: Selective culling of discontinuity lines. In Dorsey and Slusallek [88], pp. 69–80. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Hedley:rend97-69
- [174] HEIDRICH W., KAUTZ J., SLUSALLEK P., SEIDEL H.-P.: Canned lightsources. In Drettakis and Max [93], pp. 293–300. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29 – July 1, 1998. Heidrich:rend98-293
- [175] HEIDRICH W., LENSCH H., COHEN M. F., SEIDEL H.-P.: Light field techniques for reflexions and refractions. In Lischinski and Larson [241], pp. 187–196. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Heidrich:rend99-187

- [176] HERTZMANN A., OLIVER N., CURLESS B., SEITZ S. M.: Curve analogies. In Debevec and Gibson [79]. HO:2002:CA
- [177] HERY C.: Rendering Evolution at Industrial Light & Magic. In Keller and Jensen [202], pp. 19–21. EGSR04:019-021:2004
- [178] HOLZSCHUCH N., ALONSO L.: Combining Higher-Order Wavelets and Discontinuity Meshing: a Compact Representation for Radiosity. In Keller and Jensen [202], pp. 275–286. EGSR04:275-286:2004
- [179] HOLZSCHUCH N., SILLION F.: Accurate computation of the radiosity gradient for constant linear emitters. In Hanrahan and Purgathofer [164], pp. 186–195. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Holzschuch:rend95-186
- [180] HOLZSCHUCH N., SILLION F., DRETTAKIS G.: An efficient progressive refinement strategy for hierarchical radiosity. In Sakas et al. [356], pp. 357–372. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Holzschuch:rend94-357
- [181] HOU X., WEI L.-Y., SHUM H.-Y., GUO B.: Real-time Multi-perspective Rendering on Graphics Hardware. In Akenine-Möller and Heidrich [5], pp. 93–102. EGSR06:093-102:2006
- [182] ICART I., ARQUES D.: An illumination model for a system of isotropic substrate - isotropic thin film with identical rough boundaries. In Lischinski and Larson [241], pp. 261–272. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Icart:rend99-261
- [183] İŞLER V., AYKANAT C., ÖZGÜÇ B.: Subdivision of 3d space based on the graph partitioning for parallel tracing. In Brunet and Jansen [41], pp. 182–190. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Isler:rend91-182
- [184] IRAWAN P., FERWERDA J. A., MARSCHNER S. R.: Perceptually Based Tone Mapping of High Dynamic Range Image Streams. In Bala and Dutré [18], pp. 231–242. EGSR05:231-242:2005
- [185] IRONY R., COHEN-OR D., LISCHINSKI D.: Colorization by Example. In Bala and Dutré [18], pp. 201–210. EGSR05:201-210:2005
- [186] IWASAKI K., DOBASHI Y., YOSHIMOTO F., NISHITA T.: Precomputed Radiance Transfer for Dynamic Scenes Taking into Account Light Interreflection. In Kautz and Pattanaik [198], pp. 35–44. EGSR07:35-44:2007
- [187] JANSEN E.: Realism in real-time? In Cohen et al. [66], pp. 27–46. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Jansen:rend93-27
- [188] JENSEN H. W.: Importance-driven path tracing using the photon map. In Hanrahan and Purgathofer [164], pp. 326–335. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Jensen:rend95-326
- [189] JENSEN H. W.: Global illumination using photon maps. In Pueyo and Schröder [332], pp. 21–30. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Jensen:rend96-21
- [190] JENSEN H. W., LEGAKIS J., DORSEY J.: Rendering of wet material. In Lischinski and Larson [241], pp. 273–282. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Jensen:rend99-273
- [191] JESCHKE S., MANTLER S., WIMMER M.: Interactive Smooth and Curved Shell Mapping. In Kautz and Pattanaik [198], pp. 351–360. EGSR07:351-360:2007
- [192] JESCHKE S., WIMMER M.: Textured depth meshes for realtime rendering of arbitrary scenes. In Debevec and Gibson [79]. JW:2002:TDM
- [193] JESSEL J.-P., PAULIN M., CAUBET R.: An extended radiosity using parallel ray-traced specular transfers. In Brunet and Jansen [41], pp. 171–181. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Jessel:rend91-171
- [194] JONES G., CHRISTOU C., CUMMING B., PARKER A.: Accurate rendering of curved shadows and interreflections. In Cohen et al. [66], pp. 337–347. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Jones:rend93-337
- [195] KAPLAN M., COHEN E.: Computer generated celtic design. In Dutré et al. [99], pp. 009–019. KC:2003:CGC
- [196] KAUTZ J., LEHTINEN J., AILA T.: Hemispherical Rasterization for Self-Shadowing of Dynamic Objects. In Keller and Jensen [202], pp. 179–184. EGSR04:179-184:2004
- [197] KAUTZ J., MCCOOL M. D.: Interactive rendering with arbitrary BRDFs using separable approximations. In Lischinski and Larson [241], pp. 247–260. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Kautz:rend99-247
- [198] KAUTZ J., PATTANAİK S. (Eds.): *SR '07 Rendering Techniques* (Grenoble, France, 2007), Eurographics Association. EGSR07-proc
- [199] KAUTZ J., SNYDER J., SLOAN P.-P.: Fast arbitrary brdf shading for low-frequency lighting using spherical harmonics. In Debevec and Gibson [79]. KS:2002:FAB
- [200] KEATING B., MAX N.: Shadow penumbras for complex objects by depth-dependent filtering of multi-layer depth images. In Lischinski and Larson [241], pp. 197–212. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Keating:rend99-197

- [201] KELLER A.: Quasi monte carlo radiosity. In Pueyo and Schröder [332], pp. 101–110. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Keller:rend96-101
- [202] KELLER A., JENSEN H. W. (Eds.): *Eurographics Symposium on Rendering* (Norrköping, Sweden, 2004), Eurographics Association. EGSR04-proc
- [203] KIRK D., ARVO J.: Unbiased variance reduction for global illumination. In Brunet and Jansen [41], pp. 45–53. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Kirk:rend91-45
- [204] KOBBELT L. P., DAUBERT K., SEIDEL H.-P.: Ray tracing of subdivision surfaces. In Drettakis and Max [93], pp. 69–80. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Kobbelt:rend98-69
- [205] KOENDERINK J. J.: Estimating source spectra and spectral albedos from RGB data for rerendering. In Keller and Jensen [202], pp. 11–17. EGSR04:011-017:2004
- [206] KOK A.: Grouping of patches in progressive radiosity. In Cohen et al. [66], pp. 221–232. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Kok:rend93-221
- [207] KOK A., JANSEN F. W.: Sampling pattern coherence for sampling area light sources. In Chalmers et al. [49], p. 283. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Kok:rend92-283
- [208] KOK A. J., JANSEN F. W.: Source selection for the direct lighting computation in global illumination. In Brunet and Jansen [41], pp. 75–82. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Kok:rend91-75
- [209] KOK A. J., YILMAZ A., BIERENS L.: A two-pass radiosity method for bezier patches. In Bouatouch and Bouville [38], pp. 117–126. Proc. 1st Eurographics Rendering Workshop, Rennes, France, June 11–13, 1990. Kok:rend90-117
- [210] KOLLIG T., KELLER A.: Efficient illumination by high dynamic range images. In Dutré et al. [99], pp. 045–051. KK:2003:EIB
- [211] KOLLIPOULOS A., WANG J. M., HERTZMANN A.: Segmentation-Based 3D Artistic Rendering. In Akenine-Möller and Heidrich [5], pp. 361–370. EGSR06:361-370:2006
- [212] KONTKANEN J., AILA T.: Ambient Occlusion for Animated Characters. In Akenine-Möller and Heidrich [5], pp. 343–348. EGSR06:343-348:2006
- [213] KONTKANEN J., TURQUIN E., HOLZSCHUCH N., SILLION F. X.: Wavelet Radiance Transport for Interactive Indirect Lighting. In Akenine-Möller and Heidrich [5], pp. 161–171. EGSR06:161-171:2006
- [214] KRIV NEK J., BOUATOUCH K., PATTANAİK S., Z RA J.: Making Radiance and Irradiance Caching Practical: Adaptive Caching and Neighbor Clamping. In Akenine-Möller and Heidrich [5], pp. 127–138. EGSR06:127-138:2006
- [215] KRÜGER J., BÜRGER K., WESTERMANN R.: Interactive Screen-Space Accurate Photon Tracing on GPUs. In Akenine-Möller and Heidrich [5], pp. 319–329. EGSR06:319-329:2006
- [216] KUBOTA A., TAKAHASHI K., AIZAWA K., CHEN T.: All-focused light field rendering. In Keller and Jensen [202], pp. 235–242. EGSR04:235-242:2004
- [217] KUMAR S., MANOCHA D., GARRETT W., LIN M.: Hierarchical back-face computation. In Pueyo and Schröder [332], pp. 235–244. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Kumar:rend96-235
- [218] KURZION Y., YAGEL R.: Space deformation using ray deflectors. In Hanrahan and Purgathofer [164], pp. 21–30. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Kurzion:rend95-21
- [219] LAFORTUNE E. P., WILLEMS Y. D.: The ambient term as a variance reducing technique for monte carlo ray tracing. In Sakas et al. [356], pp. 168–176. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Lafortune:rend94-168
- [220] LAFORTUNE E. P., WILLEMS Y. D.: A 5d tree to reduce the variance of monte carlo ray tracing. In Hanrahan and Purgathofer [164], pp. 11–20. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Lafortune:rend95-11
- [221] LAFORTUNE E. P., WILLEMS Y. D.: Rendering participating media with bidirectional path tracing. In Pueyo and Schröder [332], pp. 91–100. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Lafortune:rend96-91
- [222] LAI Y.-C., FAN S. H., CHENNEY S., DYER C.: Photorealistic Image Rendering with Population Monte Carlo Energy Redistribution. In Kautz and Pattanaik [198], pp. 287–295. EGSR07:287-295:2007
- [223] LAINE S., SARANSAARI H., KONTKANEN J., LEHTINEN J., AILA T.: Incremental Instant Radiosity for Real-Time Indirect Illumination. In Kautz and Pattanaik [198], pp. 277–286. EGSR07:277-286:2007
- [224] LALONDE P., FOURNIER A.: Filtered local shading in the wavelet domain. In Dorsey and Slusallek [88], pp. 163–174. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Lalonde:rend97-163

- [225] LANGE B.: The simulation of radiant light transfert with stochastic ray tracing. In Brunet and Jansen [41], pp. 30–44. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Lange:rend91-30
- [226] LANGE B., BEYER M.: Rayvolution: An evolutionary ray tracing algorithm. In Sakas et al. [356], pp. 136–144. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Lange:rend94-136
- [227] LANGER M. S., ZHANG L., KLEIN A., BHATIA A., PEREIRA J., REKHI D.: A spectral-particle hybrid method for rendering falling snow. In Keller and Jensen [202], pp. 217–226. EGSR04:217-226:2004
- [228] LANGUENON E., TELLIER P.: Including physical light sources and daylight in global illumination. In Chalmers et al. [49], pp. 217–226. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Languenon:rend92-217
- [229] LANGUÉNOU E., BOUATOUCH K., CHELLE M.: Global illumination in presence of participating media with general properties. In Sakas et al. [356], pp. 71–86. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Languenou:rend94-71
- [230] LARSEN B. D., CHRISTENSEN N. J.: Simulating Photon Mapping for Real-time Applications. In Keller and Jensen [202], pp. 123–131. EGSR04:123-131:2004
- [231] LAWRENCE J., RUSINKIEWICZ S., RAMAMOORTHI R.: Adaptive Numerical Cumulative Distribution Functions for Efficient Importance Sampling. In Bala and Dutré [18], pp. 11–20. EGSR05:011-020:2005
- [232] LECOT G., LEVY B.: Ardeco: Automatic Region DETection and CONversion. In Akenine-Möller and Heidrich [5], pp. 349–360. EGSR06:349-360:2006
- [233] LEE J., PFISTER H., MOGHADDAM B., MACHIRAJU R.: Estimation of 3D Faces and Illumination from Single Photographs Using A Bilinear Illumination Model. In Bala and Dutré [18], pp. 73–82. EGSR05:073-082:2005
- [234] LEFEBVRE S., HOPPE H.: Compressed Random-Access Trees for Spatially Coherent Data . In Kautz and Pattanaik [198], pp. 339–349. EGSR07:339-349:2007
- [235] LEFEBVRE S., NEYRET F.: Synthesizing bark. In Debevec and Gibson [79]. LN:2002:SB
- [236] LEWIS R.: Making shaders more physically plausible. In Cohen et al. [66], pp. 47–62. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Lewis:rend93-47
- [237] LEWIS R. R., FOURNIER A.: Light-driven global illumination with a wavelet representation of light transport. In Pueyo and Schröder [332], pp. 11–20. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Lewis:rend96-11
- [238] LI H., PELLACINI F., TORRANCE K. E.: A Hybrid Monte Carlo Method for Accurate and Efficient Subsurface Scattering. In Bala and Dutré [18], pp. 283–290. EGSR05:283-290:2005
- [239] LIERE R.: Divide and conquer radiosity. In Brunet and Jansen [41], pp. 191–197. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Liere:rend91-191
- [240] LINDGREN T., WEBER J.: Measuring the quality of antialiased line drawing. In Cohen et al. [66], pp. 157–174. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Lindgren:rend93-157
- [241] LISCHINSKI D., LARSON G. W. (Eds.): *Rendering Techniques '99* (1999), Eurographics, Springer-Verlag Wien New York. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. EGrend99-proc
- [242] LISCHINSKI D., RAPPOPORT A.: Image-based rendering for non-diffuse synthetic scenes. In Drettakis and Max [93], pp. 301–314. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Lischinski:rend98-301
- [243] LIU X., SLOAN P.-P., SHUM H.-Y., SNYDER J.: All-Frequency Precomputed Radiance Transfer for Glossy Objects. In Keller and Jensen [202], pp. 337–344. EGSR04:337-344:2004
- [244] LLOYD D. B., TUFT D., EUI YOON S., MANOCHA D.: Warping and Partitioning for Low Error Shadow Maps. In Akenine-Möller and Heidrich [5], pp. 215–226. EGSR06:215-226:2006
- [245] LLOYD D. B., WENDT J., GOVINDARAJU N. K., MANOCHA D.: CC Shadow Volumes . In Keller and Jensen [202], pp. 197–205. EGSR04:197-205:2004
- [246] LOSCOS C., FRASSON M.-C., DRETTAKIS G., WALTER B., GRANIER X., POULAIN P.: Interactive virtual relighting and remodeling of real scenes. In Lischinski and Larson [241], pp. 329–340. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. loscos:rend99-329
- [247] LOVISCACH J.: Motion Blur for Textures by Means of Anisotropic Filtering. In Bala and Dutré [18], pp. 105–110. EGSR05:105-110:2005
- [248] LUAN Q., WEN F., COHEN-OR D., LIANG L., XU Y.-Q., SHUM H.-Y.: Natural Image Colorization. In Kautz and Pattanaik [198], pp. 309–320. EGSR07:309-320:2007
- [249] MA W.-C., HAWKINS T., PEERS P., CHABERT C.-F., WEISS M., DEBEVEC P.: Rapid Acquisition of Specular and Diffuse Normal Maps from Polarized Spherical Gradient Illumination . In Kautz and Pattanaik [198], pp. 183–194. EGSR07:183-194:2007

- [250] MACHIRAJU R., SWANN E., YAGEL R.: Spatial domain characterization and control of reconstruction errors. In Hanrahan and Purgathofer [164], pp. 64–73. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Machiraju:rend95-64
- [251] MAGDA S., KRIEGMAN D.: Reconstruction of Volumetric Surface Textures for Real-Time Rendering. In Akenine-Möller and Heidrich [5], pp. 19–29. EGSR06:019-029:2006
- [252] MAILLOT J.-L., CARRARO L., PEROCHE B.: A progressive ray tracing. In Chalmers et al. [49], pp. 9–20. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Maillot:rend92-9
- [253] MALZBENDER T., WILBURN B., GELB D., AMBRISCO B.: Surface Enhancement Using Real-time Photometric Stereo and Reflectance Transformation. In Akenine-Möller and Heidrich [5], pp. 245–250. EGSR06:245-250:2006
- [254] MARSCHNER S. R., WESTIN S. H., LAFORTUNE E. P. F., TORRANCE K. E., GREENBERG D. P.: Image-based BRDF measurement including human skin. In Lischinski and Larson [241], pp. 131–144. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Marschner:rend99-131
- [255] MARTIN T., TAN T.-S.: Anti-aliasing and Continuity with Trapezoidal Shadow Maps. In Keller and Jensen [202], pp. 153–160. EGSR04:153-160:2004
- [256] MASSELUS V., DUTRÉ P., ANRYS F.: The free form light stage. In Debevec and Gibson [79]. MD:2002:TFF
- [257] MASSELUS V., PEERS P., DUTRÉ P., WILLEMSY Y. D.: Smooth Reconstruction and Compact Representation of Reflectance Functions for Image-based Relighting. In Keller and Jensen [202], pp. 287–298. EGSR04:287-298:2004
- [258] MATTAUSCH O., BITTNER J., WIMMER M.: Adaptive Visibility-Driven View Cell Construction. In Akenine-Möller and Heidrich [5], pp. 195–205. EGSR06:195-205:2006
- [259] MATUSIK W., LOPER M., PFISTER H.: Progressively-Refined Reflectance Functions from Natural Illumination. In Keller and Jensen [202], pp. 299–308. EGSR04:299-308:2004
- [260] MATUSIK W., PFISTER H., BRAND M., MCMILLAN L.: Efficient isotropic brdf measurement. In Dutré et al. [99], pp. 241–248. MP:2003:EIB
- [261] MATUSIK W., PFISTER H., ZIEGLER R., NGAN A., MCMILLAN L.: Acquisition and rendering of transparent and refractive objects. In Debevec and Gibson [79]. MP:2002:AAR
- [262] MAX N.: Efficient light propagation for multiple anisotropic volume scattering. In Sakas et al. [356], pp. 87–104. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Max:rend94-87
- [263] MAX N.: Hierarchical rendering of trees from precomputed multi-layer zbuffers. In Pueyo and Schröder [332], pp. 165–174. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Max:rend96-165
- [264] MAX N., DEUSSEN O., KEATING B.: Hierarchical image-based rendering using texture mapping hardware. In Lischinski and Larson [241], pp. 57–62. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Max:rend99-57
- [265] MAX N., MOBLEY C., KEATING B., WU E.-H.: Plane-parallel radiance transport for global illumination in vegetation. In Dorsey and Slusallek [88], pp. 239–250. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Max:rend97-239
- [266] MAX N., OHSAKI K.: Rendering tree from precomputed z-buffer views. In Hanrahan and Purgathofer [164], pp. 74–81. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Max:rend95-74
- [267] MAX N., TROUTMAN R.: Optimal hemicube sampling. In Cohen et al. [66], pp. 185–200. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. max:rend93-185
- [268] MCGUIRE M., MATUSIK W., YERAZUNIS W.: Practical, Real-time Studio Matting using Dual Imagers. In Akenine-Möller and Heidrich [5], pp. 235–244. EGSR06:235-244:2006
- [269] MCNAMARA A., CHALMERS A., TROSCIANKO T., REINHARD E.: Fidelity of graphics reconstructions: A psychophysical investigation. In Drettakis and Max [93], pp. 237–246. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. McNamara:rend98-237
- [270] MERTENS T., KAUTZ J., BEKAERT P., REETH F. V.: A Self-Shadow Algorithm for Dynamic Hair using Density Clustering. In Keller and Jensen [202], pp. 173–178. EGSR04:173-178:2004
- [271] MERTENS T., KAUTZ J., BEKAERT P., SEIDEL H.-P., REETH F. V.: Interactive rendering of translucent deformable objects. In Dutré et al. [99], pp. 130–140. MK:2003:IRO
- [272] MERTENS T., KAUTZ J., CHEN J., BEKAERT P., DURAND F.: Texture Transfer Using Geometry Correlation. In Akenine-Möller and Heidrich [5], pp. 273–284. EGSR06:273-284:2006
- [273] MEYER A., NEYRET F.: Interactive volumetric textures. In Drettakis and Max [93], pp. 157–168. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Meyer:rend98-157
- [274] MILLER G., MONDESIR M.: Rendering hyper-sprites in real time. In Drettakis and Max [93], pp. 193–198. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Miller:rend98-193
- [275] MILLER G., RUBIN S., PONCELEON D.: Lazy decompression of surface light fields for precomputed global illumination. In Drettakis and Max [93], pp. 281–292. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Miller:rend98-281

- [276] MITCHELL D.: Ray tracing and irregularities of distribution. In Chalmers et al. [49], pp. 61–70. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Mitchell:rend92-61
- [277] MOHAN A., TUMBLIN J., BODENHEIMER B., GRIMM C., BAILEY R.: Table-top Computed Lighting for Practical Digital Photography. In Bala and Dutré [18], pp. 165–172. EGSR05:165-172:2005
- [278] MOISAN B., PITOT P., DUTHEN Y., CAUBERT R.: A new parallel computation model for ray tracing: the active messages. In Chalmers et al. [49], p. 284. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Moisan:rend92-284
- [279] MOON J. T., WALTER B., MARSCHNER S. R.: Rendering Discrete Random Media Using Precomputed Scattering Solutions. In Kautz and Pattanaik [198], pp. 231–242. EGSR07:231-242:2007
- [280] MOORE A., NG C., BUSTARD D.: Anti-aliased line drawing on a distributed cell store system. In Chalmers et al. [49], p. 285. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Moore:rend92-285
- [281] MOSTEFAOUI L., DISCHLER J.-M., GHAZANFARPOUR D.: Rendering inhomogeneous surfaces with radiosity. In Lischinski and Larson [241], pp. 283–292. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Mostefaoui:rend99-283
- [282] MOULD D.: A stained glass image filter. In Dutré et al. [99], pp. 020–025. Mould:2003:ASG
- [283] MUELLER G., SARLETTE R., KLEIN R.: Procedural Editing of Bidirectional Texture Functions. In Kautz and Pattanaik [198], pp. 219–230. EGSR07:219-230:2007
- [284] MÜLLER S., KRESSE W., GATENBY N., FRANK SCHÖFFEL: A radiosity approach for the simulation of daylight. In Hanrahan and Purgathofer [164], pp. 137–146. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Muller:rend95-137
- [285] MÜLLER S., SCHÖFFEL F.: Fast radiosity retropropagation for interactive virtual environments using a shadow-form-factor-list. In Sakas et al. [356], pp. 339–356. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Muller:rend94-339
- [286] MURAKAMI K., HIROTA K.: Incremental ray tracing. In Bouatouch and Bouville [38], pp. 15–30. Proc. 1st Eurographics Rendering Workshop, Rennes, France, June 11–13, 1990. Murakami:rend90-15
- [287] MYSZKOWSKI K.: Lighting reconstruction using fast and adaptive density estimation techniques. In Dorsey and Slusallek [88], pp. 251–262. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Myszkowski:rend97-251
- [288] MYSZKOWSKI K.: The visible differences predictor: Applications to global illuminations problems. In Drettakis and Max [93], pp. 223–236. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Myszkowski:rend98-223
- [289] MYSZKOWSKI K., KUNII T. L.: Texture mapping as an alternative for meshing during walkthrough animation. In Sakas et al. [356], pp. 389–400. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Myszkowski:rend94-389
- [290] MYSZKOWSKI K., ROKITA P., TAWARA T.: Perceptually-informed accelerated rendering of high quality walkthrough sequences. In Lischinski and Larson [241], pp. 5–18. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Myszkowski:rend99-5
- [291] NARAIN R., KWATRA V., LEE H.-P., KIM T., CARLSON M., LIN M. C.: Feature-Guided Dynamic Texture Synthesis on Continuous Flows. In Kautz and Pattanaik [198], pp. 361–370. EGSR07:361-370:2007
- [292] NAYAR S. K., KRISHNAN G. G.: Visual Chatter in the Real World. In Akenine-Möller and Heidrich [5], pp. 11–16. EGSR06:011-016:2006
- [293] NEALEN A., ALEXA M.: Hybrid texture synthesis. In Dutré et al. [99], pp. 097–105. NA:2003:HTS
- [294] NEUMANN A., NEUMANN L., PHILIPPE BEKAERT, WILLEM Y., PURGATHOFER W.: Importance driven stochastic ray tracing. In Pueyo and Schröder [332], pp. 111–122. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Neumann:rend96-111
- [295] NEUMANN L., FEDA M., KOPP M., PURGATHOFER W.: A new stochastic radiosity method for highly complex scenes. In Sakas et al. [356], pp. 201–213. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Neumann:rend94-201
- [296] NEUMANN L., NEUMANN A.: Efficient radiosity methods for non-separable reflectance models. In Bouatouch and Bouville [38], pp. 83–102. Proc. 1st Eurographics Rendering Workshop, Rennes, France, June 11–13, 1990. Neumann:rend90-83
- [297] NEUMANN L., PURGATHOFER W., TOBLER R. F., NEUMANN A., ELIAS P., FEDA M., PUEYO X.: The stochastic ray method for radiosity. In Hanrahan and Purgathofer [164], pp. 206–218. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Neumann:rend95-206
- [298] NEUMANN L., TOBLER R. F.: New efficient algorithms with positive definite radiosity matrix. In Sakas et al. [356], pp. 227–243. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Neumann:rend94-227

- [299] NEUMANN L., TOBLER R. F., ELIAS P.: The constant radiosity step. In Hanrahan and Purgathofer [164], pp. 336–344. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Neumann:rend95-336
- [300] NEYRET F.: Synthesizing verdant landscapes using volumetric textures. In Pueyo and Schröder [332], pp. 215–224. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Neyret:rend96-215
- [301] NGAN A., DURAND F.: Statistical Acquisition of Texture Appearance. In Akenine-Möller and Heidrich [5], pp. 31–40. EGSR06:031-040:2006
- [302] NGAN A., DURAND F., MATUSIK W.: Experimental Analysis of BRDF Models. In Bala and Dutré [18], pp. 117–126. EGSR05:117-126:2005
- [303] NGAN A., DURAND F., MATUSIK W.: Image-driven Navigation of Analytical BRDF Models. In Akenine-Möller and Heidrich [5], pp. 399–407. EGSR06:399-407:2006
- [304] NIMEROFF J.: A temporal image-based approach to motion reconstruction for globally illuminated animated environments. In Pueyo and Schröder [332], pp. 175–184. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Nimeroff:rend96-175
- [305] NIMEROFF J., DORSAY J., RUSHMEIER H.: A framework for global illumination in animated environments. In Hanrahan and Purgathofer [164], pp. 92–103. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Nimeroff:rend95-92
- [306] NIMEROFF J. S., SIMONCELLI E., DORSEY J.: Efficient re-rendering of naturally illuminated environments. In Sakas et al. [356], pp. 373–388. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Nimeroff:rend94-373
- [307] NIRENSTEIN S., BLAKE E.: Hardware Accelerated Visibility Preprocessing using Adaptive Sampling. In Keller and Jensen [202], pp. 207–216. EGSR04:207-216:2004
- [308] NIRENSTEIN S., BLAKE E., GAIN J.: Exact from-region visibility culling. In Debevec and Gibson [79]. NB:2002:EFR
- [309] NISHITA T.: Light scattering models for the realistic rendering of natural scenes. In Drettakis and Max [93], pp. 1–10. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Nishita:rend98-1
- [310] NOMA T.: Bridging between surface rendering and volume rendering for multi-resolution display. In Hanrahan and Purgathofer [164], pp. 31–40. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Noma:rend95-31
- [311] NOMURA Y., ZHANG L., NAYAR S. K.: Scene Collages and Flexible Camera Arrays. In Kautz and Pattanaik [198], pp. 127–138. EGSR07:127-138:2007
- [312] NORDLUND P.: Handheld Pixels. In Akenine-Möller and Heidrich [5], pp. 17–18. EGSR06:017-018:2006
- [313] OUELLETTE M., FIUME E.: Approximating the location of integrand discontinuities for penumbral illumination with area light sources. In Lischinski and Larson [241], pp. 213–224. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Ouellette:rend99-213
- [314] OVERBECK R., BEN-ARTZI A., RAMAMOORTHY R., GRINSPUN E.: Exploiting Temporal Coherence for Incremental All-Frequency Relighting. In Akenine-Möller and Heidrich [5], pp. 151–160. EGSR06:151-160:2006
- [315] OVERBECK R., RAMAMOORTHY R., MARK W. R.: A Real-time Beam Tracer with Application to Exact Soft Shadows. In Kautz and Pattanaik [198], pp. 85–98. EGSR07:85-98:2007
- [316] PADDON D.: Parallel processing for rendering. In Chalmers et al. [49], pp. 1–8. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Paddon:rend92-1
- [317] PATMORE C.: Illumination of dense foliage models. In Cohen et al. [66], pp. 63–72. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Patmore:rend93-63
- [318] PATTANAİK S. N., BOUATTOUCH K.: Linear radiosity with estimation error. In Hanrahan and Purgathofer [164], pp. 170–185. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Pattanaik:rend95-170
- [319] PATTANAİK S. N., BOUATTOUCH K.: Haar wavelet: A solution to global illumination with general surface properties. In Sakas et al. [356], pp. 281–294. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Pattanaik:rend94-281
- [320] PATTANAİK S. N., MUDUR S. P.: Computation of global illumination by monte carlo of the particle light. In Chalmers et al. [49], pp. 71–84. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Pattanaik:rend92-71
- [321] PEERS P., DUTRÉ P.: Inferring Reflectance Functions from Wavelet Noise. In Bala and Dutré [18], pp. 173–182. EGSR05:173-182:2005
- [322] PEERS P., DUTRÉ P.: Wavelet environment matting. In Dutré et al. [99], pp. 157–16. PD:2003:WEM
- [323] PÉREZ F., PUEYO X., SILLION F. X.: Global illumination techniques for the simulation of participating media. In Dorsey and Slusallek [88], pp. 309–320. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Perez:rend97-309

- [324] PETER I., PIETREK G.: Importance driven construction of photon maps. In Drettakis and Max [93], pp. 269–280. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Peter:rend98-269
- [325] PHARR M., HANRAHAN P.: Geometry caching for ray tracing displacement maps. In Pueyo and Schröder [332], pp. 31–40. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Pharr:rend96-31
- [326] PIETREK G.: Fast calculation of accurate form factor. In Cohen et al. [66], pp. 201–220. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Pietrek:rend93-201
- [327] PIGHIN F. P., LISCHINSKI D., SALESIN D.: Progressive previewing of ray-traced images using image-plane discontinuity meshing. In Dorsey and Slusallek [88], pp. 155–125. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Pighin:rend97-115
- [328] POULAIN P., FOURNIER A.: Painting surface characteristics. In Hanrahan and Purgathofer [164], pp. 160–169. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Poulin:rend95-160
- [329] POULIN P., OUIOMET M., FRASSON M. C.: Interactively modeling with photogrammetry. In Drettakis and Max [93], pp. 93–104. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Poulin:rend98-93
- [330] PREMOZE S., ASHIKHMEN M., TESSENDORF J., RAMAMOORTHY R., NAYAR S.: Practical Rendering of Multiple Scattering Effects in Participating Media. In Keller and Jensen [202], pp. 363–374. EGSR04:363-374:2004
- [331] PREMOZE S., THOMPSON W. B., SHIRLEY P.: Geospecific rendering of alpine terrain. In Lischinski and Larson [241], pp. 107–118. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Premoze:rend99-107
- [332] PUEYO X., SCHRÖDER P. (Eds.): *Rendering Techniques '96* (1996), Eurographics, Springer-Verlag Wien New York. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. EGrend96-proc
- [333] PULLI K., COHEN M., DUCHAMP T., HOPPE H., SHAPIRO L., STUETZLE W.: View-based rendering: Visualizing real objects from scanned range and color data. In Dorsey and Slusallek [88], pp. 23–34. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Pulli:rend97-23
- [334] PULLI K., SEGAL M.: Fast rendering of subdivision surfaces. In Pueyo and Schröder [332], pp. 61–70. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Pulli:rend96-61
- [335] PURGATHOFER W., ZEILLER M.: Fast radiosity by parallelization. In Bouatouch and Bouville [38], pp. 173–184. Proc. 1st Eurographics Rendering Workshop, Rennes, France, June 11–13, 1990. Purgathofer:rend90-173
- [336] RAMANARAYANAN G., BALA K., WALTER B.: Feature-Based Textures. In Keller and Jensen [202], pp. 265–274. EGSR04:265-274:2004
- [337] RASKAR R., CUTTS M., WELCH G., STÜRZLINGER W.: Efficient image generation for multiprojector and multisurface displays. In Drettakis and Max [93], pp. 139–144. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Raskar:rend98-139
- [338] REINHARD E., KOK A. J., JANSEN F. W.: Cost prediction in ray tracing. In Pueyo and Schröder [332], pp. 41–50. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Reinhard:rend96-41
- [339] REINHARD E., TIJSSSEN L. U., JANSEN F. W.: Environnement mapping for efficient sampling of the diffuse interreflection. In Sakas et al. [356], pp. 410–422. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Reinhard:rend94-410
- [340] RILEY K., EBERT D. S., KRAUS M., TESSENDORF J., HANSEN C.: Efficient Rendering of Atmospheric Phenomena. In Keller and Jensen [202], pp. 375–386. EGSR04:375-386:2004
- [341] RITSCHEL T., GROSCH T., KAUTZ J., MUELLER S.: Interactive Illumination with Coherent Shadow Maps. In Kautz and Pattanaik [198], pp. 61–72. EGSR07:61-72:2007
- [342] RITTER L., LI W., CURLESS B., AGRAWALA M., SALESIN D.: Painting With Texture. In Akenine-Möller and Heidrich [5], pp. 371–376. EGSR06:371-376:2006
- [343] ROCCHINI C., CIGNOMI P., MONTANI C., SCOPIGNO R.: Multiple textures stitching and blending on 3d objects. In Lischinski and Larson [241], pp. 119–130. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Rocchini:rend99-119
- [344] ROGER D., ASSARSSON U., HOLZSCHUCH N.: Whitted Ray-Tracing for Dynamic Scenes using a Ray-Space Hierarchy on the GPU. In Kautz and Pattanaik [198], pp. 99–110. EGSR07:99-110:2007
- [345] ROMAN A., LENSCH H. P. A.: Automatic Multiperspective Images. In Akenine-Möller and Heidrich [5], pp. 83–92. EGSR06:083-092:2006
- [346] ROUGERON G., PÉROCHE B.: An adaptive representation of spectral data for reflectance computations. In Dorsey and Slusallek [88], pp. 127–138. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Rougeron:rend97-127
- [347] ROUSSELLE F., RENAUD C.: Group accelerated shooting methods for radiosity. In Lischinski and Larson [241], pp. 77–88. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Rousselle:rend99-77

- [348] RUSHMEIER H., BERNARDINI F., MITTLEMAN J., TAUBIN G.: Acquiring input for rendering at appropriate levels of detail: Digitizing a Pietà. In Drettakis and Max [93], pp. 81–92. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Rushmeier:rend98-81
- [349] RUSHMEIER H., TAUBIN G., GUÉZIEC A.: Applying shape from lighting variation to bump map capture. In Dorsey and Slusallek [88], pp. 35–44. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Rushmeier:rend97-35
- [350] RUSHMEIER H., WARD G. J., PIATKO C., SANDERS P., RUST B.: Comparing real and synthetic images: Some ideas about metrics. In Hanrahan and Purgathofer [164], pp. 82–91. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Rushmeier:rend95-82
- [351] RUSHMEYER H.: Rendering participating media: Problems and solutions from application areas. In Sakas et al. [356], pp. 37–59. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Rushmeyer:rend94-37
- [352] RUSINKIEWICZ S. M.: New change of variables for efficient BRDF representation. In Drettakis and Max [93], pp. 11–22. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Rusinkiewicz:rend98-11
- [353] SAËC B. L., SCHLICK C.: A progressive ray tracing based radiosity with general reflectance functions. In Bouatouch and Bouville [38], pp. 103–116. Proc. 1st Eurographics Rendering Workshop, Rennes, France, June 11–13, 1990. LeSaec:rend90-103
- [354] SAKAS G., GRIMM M., SAVOPOULOS A.: Optimized maximum intensity projection (mip). In Hanrahan and Purgathofer [164], pp. 51–63. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Sakas:rend95-51
- [355] SAKAS G., KERKE B.: Texture shapping: A method for modeling arbitrarily shaped volume objects in texture space. In Brunet and Jansen [41], pp. 206–218. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Sakas:rend91-206
- [356] SAKAS G., SHIRLEY P., MÜLLER S. (Eds.): *Photorealistic Rendering Techniques* (1994), Eurographics, Springer-Verlag Berlin Heidelberg New York. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. EGrend94-proc
- [357] SALESIN D., LISCHINSKI D., DEROSE T.: Reconstructing illumination functions with selected discontinuities. In Chalmers et al. [49], pp. 99–112. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Salesin:rend92-99
- [358] SANDER P. V., GORTLER S. J., SNYDER J., HOPPE H.: Signal-specialized parametrization. In Debevec and Gibson [79]. SG:2002:SSP
- [359] SAWHNEY H. S., ARPA A., KUMAR R., SAMARASEKERA S., AGGARWAL M., HSU S., NISTER D., HANNA K.: Video flashlights – real time rendering of multiple videos for immersive model visualization. In Debevec and Gibson [79]. SA:2002:VFR
- [360] SBERT M., BRUSI A., BEKAERT P.: Gathering for free in random walk radiosity. In Lischinski and Larson [241], pp. 89–94. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Sbert:rend99-89
- [361] SBERT M., PEREZ F., PUEYO X.: Global monte carlo. a progressive solution. In Hanrahan and Purgathofer [164], pp. 231–239. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Sbert:rend95-231
- [362] SCHÄFER S.: Hierarchical radiosity on curved surfaces. In Dorsey and Slusallek [88], pp. 187–192. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Schafer:rend97-187
- [363] SCHAUFFER G., PRIGLINGER M.: Efficient displacement mapping by image warping. In Lischinski and Larson [241], pp. 175–186. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Schauffer:rend99-174
- [364] SCHAUFLER G.: Nailboards: A rendering primitive for image caching in dynamic scenes. In Dorsey and Slusallek [88], pp. 151–162. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Schaufler:rend97-151
- [365] SCHAUFLER G.: Per-object image warping with layered impostors. In Drettakis and Max [93], pp. 145–156. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Schaufler:rend98-145
- [366] SCHERZER D., JESCHKE S., WIMMER M.: Pixel-Correct Shadow Maps with Temporal Reprojection and Shadow Test Confidence. In Kautz and Pattanaik [198], pp. 45–50. EGSR07:45-50:2007
- [367] SCHLICK C.: An adaptive sampling technique for multidimensional integration by ray tracing. In Brunet and Jansen [41], pp. 21–29. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Schlick:rend91-21
- [368] SCHLICK C.: A customizable reflectance model for everyday rendering. In Cohen et al. [66], pp. 73–84. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Schlick:rend93-73

- [369] SCHLICK C.: Quantization techniques for the visualization of high dynamic range pictures. In Sakas et al. [356], pp. 7–20. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Schlick:rend94-7
- [370] SCHNEIDER B.-O., BORREL P., MANON J., MITTELMAN J., ROSSIGNAC J.: Brush as a walkthrough system for architectural models. In Sakas et al. [356], pp. 401–409. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Schneider:rend94-401
- [371] SCHÖFFEL F., POMI A.: Reducing memory requirements for interactive radiosity using movement prediction. In Lischinski and Larson [241], pp. 225–234. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Schoffel:rend99-225
- [372] SCHOLZ V., MAGNOR M.: Texture Replacement of Garments in Monocular Video. In Akenine-Möller and Heidrich [5], pp. 305–312. EGSR06:305-312:2006
- [373] SCHRÖDER P.: Numerical integration for radiosity in the presence of singularities. In Cohen et al. [66], pp. 177–184. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Schroder:rend93-177
- [374] SCHRÖDER P., GORTLER S., COHEN M., HANRAHAN P.: Wavelet projections for radiosity. In Cohen et al. [66], pp. 105–114. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Schroder:rend93-105
- [375] SCHRÖDER P., HANRAHAN P.: Wavelet methods for radiance computations. In Sakas et al. [356], pp. 310–328. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Schroder:rend94-310
- [376] SCHRÖDER P., SWELDENS W.: Spherical wavelets: Texture processing. In Hanrahan and Purgathofer [164], pp. 252–263. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Schroder:rend95-252
- [377] SECORD A., HEIDRICH W., STREIT L.: Fast primitive distribution for illustration. In Debevec and Gibson [79]. SH:2002:FPD
- [378] SEGOVIA B., IEHL J. C., MITANCHEY R., P ROCHE B.: Bidirectional Instant Radiosity. In Akenine-Möller and Heidrich [5], pp. 389–397. EGSR06:389-397:2006
- [379] SHAH A., MCNEILL D., LISTER P., GRIMSDALE R.: Antialiasing in ray tracing. In Chalmers et al. [49], p. 286. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Shah:rend92-286
- [380] SHAO M.-Z., BADLER N.: Analysis and acceleration of progressive refinement radiosity method. In Cohen et al. [66], pp. 247–258. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Shao:rend93-247
- [381] SHINAGAWA Y., MIYOSHY S., KUNII T.: Viewpoint analysis of drawings and paintings rendered using multiple viewpoints: Cases containing rectangular objects. In Cohen et al. [66], pp. 127–144. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Shinagawa:rend93-127
- [382] SHIRLEY P.: Physically based lighting calculations for computer graphics: A modern perspective. In Bouatouch and Bouville [38], pp. 67–82. Proc. 1st Eurographics Rendering Workshop, Rennes, France, June 11–13, 1990. Shirley:rend90-67
- [383] SHIRLEY P., SAKAS G.: Results of the 1994 survey on image synthesis. In Sakas et al. [356], pp. 3–6. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Shirley:rend94-3
- [384] SHIRLEY P., WADE B., HUBBARD P. M., ZARESKI D., WALTER B., GREENBERG D. P.: Global illumination via density estimation. In Hanrahan and Purgathofer [164], pp. 219–230. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Shirley:rend95-219
- [385] SHIRLEY P., WANG C.: Direct lighting calculation by monte carlo integration. In Brunet and Jansen [41], pp. 54–59. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Shirley:rend91-54
- [386] SHIRLEY P., WANG C.: Distribution ray tracing: Theory and practice. In Chalmers et al. [49], pp. 33–44. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Shirley:rend92-33
- [387] SILLION F.: The state of the art in physically-based rendering and its impact on future applications. In Brunet and Jansen [41], pp. 1–10. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Sillion:rend91-1
- [388] SILLION F.: Clustering and volume scattering for hierarchical radiosity calculations. In Sakas et al. [356], pp. 105–120. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Sillion:rend94-105
- [389] SILLION F., DRETTAKIS G., SOLER C.: A clustering algorithm for radiance calculation in general environments. In Hanrahan and Purgathofer [164], pp. 196–205. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Sillion:rend95-196
- [390] SIMHON S., DUDEK G.: Sketch Interpretation and Refinement Using Statistical Models. In Keller and Jensen [202], pp. 23–32. EGSR04:023-032:2004
- [391] SLUSALLEK P., KRAMER M., SONNTAG R.: A short proof of the progressive refinement method in radiosity. In Chalmers et al. [49], p. 287. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Slusallek:rend92-287

- [392] SLUSALLEK P., SCHRÖDER M., STAMMINGER M., SEIDEL H.-P.: Smart links and efficient reconstruction for wavelet radiosity. In Hanrahan and Purgathofer [164], pp. 240–251. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Slusallek:rend95-240
- [393] SLUSALLEK P., SEIDEL H.-P.: Toward an open rendering kernel for image synthesis. In Pueyo and Schröder [332], pp. 51–60. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Slusallek:rend96-51
- [394] SMITS B. E., MEYER G. W.: Newton’s color: Simulating interference phenomena in realistic image synthesis. In Bouatouch and Bouville [38], pp. 185–194. Proc. 1st Eurographics Rendering Workshop, Rennes, France, June 11–13, 1990. Smits:rend90-185
- [395] SOLER C., SILLION F.: Accurate error bounds for multi-resolution visibility. In Pueyo and Schröder [332], pp. 133–142. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Soler:rend96-133
- [396] SOLER C., SILLION F. X.: Automatic calculation of soft shadow textures for fast, high-quality radiosity. In Drettakis and Max [93], pp. 199–210. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Soler:rend98-199
- [397] SONG Q., JIE G., SHULIANG L., YOUSHOU W.: Implicit light source illumination model for realistic image synthesis. In Chalmers et al. [49], p. 288. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Song:rend92-288
- [398] SPEER R.: A new data structure for high speed, memory efficient ray shooting. In Chalmers et al. [49], pp. 45–60. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Speer:rend92-45
- [399] SPENCER S. N.: The hemisphere radiosity method: A tale of two algorithms. In Bouatouch and Bouville [38], pp. 127–136. Proc. 1st Eurographics Rendering Workshop, Rennes, France, June 11–13, 1990. Spencer:rend90-127
- [400] STAM J.: Multiple scattering as a diffusion process. In Hanrahan and Purgathofer [164], pp. 41–50. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Stam:rend95-41
- [401] STAM J., LANGUENOU E.: Ray tracing in non-constant media. In Pueyo and Schröder [332], pp. 225–234. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Stam:rend96-225
- [402] STAMMINGER M., SLUSALLEK P., SEIDEL H.-P.: Three point clustering for radiance computations. In Drettakis and Max [93], pp. 211–222. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Stamminger:rend98-211
- [403] STAVRAKIS E., GELAUTZ M.: Image-Based Stereoscopic Painterly Rendering. In Keller and Jensen [202], pp. 53–60. EGSR04:053-060:2004
- [404] STEWART A. J.: Hierarchical visibility in terrains. In Dorsey and Slusallek [88], pp. 217–228. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Stewart:rend97-217
- [405] STEWART J., YU J., GORTLER S., MCMILLAN L.: A new reconstruction filter for undersampled light fields. In Dutré et al. [99], pp. 150–156. SY:2003:ANR
- [406] STEWART J. A., KARKANIS T.: Computing the approximate visibility map, with applications to form factors and discontinuity meshing. In Drettakis and Max [93], pp. 57–68. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Stewart:rend98-57
- [407] STÜRZLINGER W.: Radiosity with voronoi diagrams. In Chalmers et al. [49], pp. 169–178. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Sturzlinger:rend92-169
- [408] STÜRZLINGER W.: Adaptive mesh refinement with discontinuities for the radiosity method. In Sakas et al. [356], pp. 244–253. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Sturzlinger:rend94-244
- [409] STÜRZLINGER W., BASTOS R.: Interactive rendering of globally illuminated glossy scenes. In Dorsey and Slusallek [88], pp. 93–102. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Sturzlinger:rend97-93
- [410] SUNG K.: The area sampling machine. In Chalmers et al. [49], pp. 147–160. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Sung:rend92-147
- [411] SZIRMAY-KALOS L., ANTAL G., BENEDEK B.: Global illumination animation with random radiance representation. In Dutré et al. [99], pp. 064–073. SA:2003:POT
- [412] SZIRMAY-KALOS L., PURGATHOFER W.: Global ray-bundle tracing with hardware acceleration. In Drettakis and Max [93], pp. 247–258. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Szirmay:rend98-247
- [413] SZIRMAY-KALOS L., SBERT M., UMMENHOFFER T.: Real-Time Multiple Scattering in Participating Media with Illumination Networks. In Bala and Dutré [18], pp. 277–282. EGSR05:277-282:2005
- [414] TALBOT J., CLINE D., EGBERT P.: Importance Resampling for Global Illumination. In Bala and Dutré [18], pp. 139–146. EGSR05:139-146:2005

- [415] TAMPIERI P., LISCHINSKI D.: The constant radiosity assumption syndrome. In Brunet and Jansen [41], pp. 83–92. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Tampieri:rend91-83
- [416] TAMSTORF R., JENSEN H. W.: Adaptive sampling and bias estimation in path tracing. In Dorsey and Slusallek [88], pp. 285–296. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Tamstorf:rend97-285
- [417] TAN P., LIN S., QUAN L., GUO B., SHUM H.-Y.: Multiresolution Reflectance Filtering. In Bala and Dutré [18], pp. 111–116. EGSR05:111-116:2005
- [418] TASTL I., PURGATHOFER W.: Color spaces and human color perception. In Brunet and Jansen [41], pp. 219–226. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Tastl:rend91-219
- [419] TELLER S., BALA K., DORSEY J.: Conservative radiance interpolants for ray tracing. In Pueyo and Schröder [332], pp. 257–268. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Teller:rend96-257
- [420] TELLIER P., BOUATOUCH K.: Physics-based lighting models: Implementation issues. In Brunet and Jansen [41], pp. 112–121. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Tellier:rend91-112
- [421] TOBLER R. F., NEUMANN L., SBERT M., PURGATHOFER W.: A new form factor analogy and its application to stochastic global illumination algorithms. In Drettakis and Max [93], pp. 35–44. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Tobler:rend98-35
- [422] TOBLER R. F., WILKIE A., FEDA M., PURGATHOFER W.: A hierarchical subdivision algorithm for stochastic radiosity methods. In Dorsey and Slusallek [88], pp. 193–203. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Tobler:rend97-193
- [423] TOST D., PUIG A., NAVAZO I.: Visualization of mixed scenes based on volumes and surfaces. In Cohen et al. [66], pp. 281–294. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Tost:rend93-281
- [424] TRIFONOV B., BRADLEY D., HEIDRICH W.: Tomographic Reconstruction of Transparent Objects. In Akenine-Möller and Heidrich [5], pp. 51–60. EGSR06:051-060:2006
- [425] TSINGOS N., DACHSBACHER C., LEFEBVRE S., DELLEPIANE M.: Instant Sound Scattering . In Kautz and Pattanaik [198], pp. 111–120. EGSR07:111-120:2007
- [426] TUMBLIN J., CHOUDHURY P.: Bixels: Picture Samples with Sharp Embedded Boundaries. In Keller and Jensen [202], pp. 255–264. EGSR04:255-264:2004
- [427] UDESHI T., HANSEN C. D.: Toward interactive photorealistic rendering of indoor scene: a hybrid approach. In Lischinski and Larson [241], pp. 63–76. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Udeshi:rend99-63
- [428] UREÑA C., TORRES J.: Improved irradiance computation by importance sampling. In Dorsey and Slusallek [88], pp. 275–284. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Urena:rend97-275
- [429] VAN DE PANNE M., STEWART A. J.: Effective compression techniques for precomputed visibility. In Lischinski and Larson [241], pp. 305–316. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Panne:rend99-305
- [430] VAN DEN VOORT H., NOORDMANS H., MESSERLI J., SMEULDERS A.: Physically realistic volume visualization for interactive image analysis. In Cohen et al. [66], pp. 295–306. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Voort:rend93-295
- [431] VAN DER ZWAAN M., REINHARD E., JANSEN F. W.: Pyramid clipping for efficient ray traversal. In Hanrahan and Purgathofer [164], pp. 1–10. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Zwaan:rend95-1
- [432] VANDERHAEGHE D., BARLA P., THOLLOT J., SILLION F. X.: Dynamic Point Distribution for Stroke-based Rendering . In Kautz and Pattanaik [198], pp. 139–146. EGSR07:139-146:2007
- [433] VARSHNEY A.: An environnement-project approach to radiosity for mesh-connected computers. In Chalmers et al. [49], pp. 271–282. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Varshney:rend92-271
- [434] VEACH E.: Non-symmetric scattering in light transport algorithms. In Pueyo and Schröder [332], pp. 81–90. Proc. 7th Eurographics Rendering Workshop, Porto, Portugal, June 17–19, 1996. Veach:rend96-81
- [435] VEACH E., GUIBAS L.: Bidirectional estimators for light transport. In Sakas et al. [356], pp. 145–167. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Veach:rend94-145
- [436] VEDEL C.: Improved storage and reconstruction of light intensities on surfaces. In Chalmers et al. [49], pp. 113–122. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Vedel:rend92-113
- [437] VEDEL C., PUECH C.: Some experiments on adaptive subdivision in progressive radiosity. In Brunet and Jansen [41], pp. 93–103. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Vedel:rend91-93

- [438] VEDULA S., BAKER S., KANADE T.: Spatio-temporal view interpolation. In Debevec and Gibson [79]. VB:2002:STV
- [439] VILAPLANA J.: Parallel radiosity solutions based on partial result messages. In Chalmers et al. [49], pp. 259–270. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Vilaplana:rend92-259
- [440] VILAPLANA J., PUEYO X.: Exploiting coherence for clipping and view transformation in radiosity algorithms. In Bouatouch and Bouville [38], pp. 137–150. Proc. 1st Eurographics Rendering Workshop, Rennes, France, June 11–13, 1990. Vilaplana:rend90-137
- [441] WÄCHTER C., KELLER A.: Instant Ray Tracing: The Bounding Interval Hierarchy. In Akenine-Möller and Heidrich [5], pp. 139–149. EGSR06:139-149:2006
- [442] WALD I., BENTHIN C., SLUSALLEK P.: Interactive global illumination using fast ray tracing. In Debevec and Gibson [79]. WB:2002:IGI
- [443] WALD I., BENTHIN C., SLUSALLEK P.: Interactive global illumination in complex and highly occluded environments. In Dutré et al. [99], pp. 074–081. WB:2003:IGI
- [444] WALD I., DIETRICH A., SLUSALLEK P.: An Interactive Out-of-Core Rendering Framework for Visualizing Massively Complex Models. In Keller and Jensen [202], pp. 81–92. EGSR04:081-092:2004
- [445] WALLACE J.: Trends in radiosity for image synthesis. In Bouatouch and Bouville [38], pp. 1–14. Proc. 1st Eurographics Rendering Workshop, Rennes, France, June 11–13, 1990. Wallace:rend90-1
- [446] WALTER B., DRETTAKIS G., GREENBERG D. P.: Enhancing and optimizing the render cache. In Debevec and Gibson [79]. WD:2002:EAO
- [447] WALTER B., DRETTAKIS G., PARKER S.: Interactive rendering using render cache. In Lischinski and Larson [241], pp. 19–30. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Walter:rend99-19
- [448] WALTER B., MARSCHNER S. R., LI H., TORRANCE K. E.: Microfacet Models for Refraction through Rough Surfaces. In Kautz and Pattanaik [198], pp. 195–206. EGSR07:195-206:2007
- [449] WAN L., WONG T.-T., LEUNG C.-S.: Spherical Q2-tree for Sampling Dynamic Environment Sequences. In Bala and Dutré [18], pp. 21–30. EGSR05:021-030:2005
- [450] WANG L., WEI L.-Y., ZHOU K., GUO B., SHUM H.-Y.: High Dynamic Range Image Hallucination. In Kautz and Pattanaik [198], pp. 321–326. EGSR07:321-326:2007
- [451] WANG R., NG R., LUEBKE D., HUMPHREYS G.: Efficient Wavelet Rotation for Environment Map Rendering. In Akenine-Möller and Heidrich [5], pp. 173–182. EGSR06:173-182:2006
- [452] WANG R., TRAN J., LUEBKE D.: All-Frequency Relighting of Non-Diffuse Objects using Separable BRDF Approximation. In Keller and Jensen [202], pp. 345–354. EGSR04:345-354:2004
- [453] WANG R., ZHU J., HUMPHREYS G.: Precomputed Radiance Transfer for Real-time Indirect Lighting using a Spectral Mesh Basis. In Kautz and Pattanaik [198], pp. 13–21. EGSR07:13-21:2007
- [454] WANG X., TONG X., LIN S., HU S., GUO B., SHUM H.-Y.: Generalized Displacement Maps. In Keller and Jensen [202], pp. 227–233. EGSR04:227-233:2004
- [455] WARD G., EYDELBERG-VILESHIN E.: Picture perfect rgb rendering using spectral prefiltering and sharp color primaries. In Debevec and Gibson [79]. WE:2002:PPR
- [456] WARD G. J.: Adaptive shadow testing for ray tracing. In Brunet and Jansen [41], pp. 11–20. Proc. 2nd Eurographics Rendering Workshop, Barcelona, Spain, May, 1991. Ward:rend91-11
- [457] WARD G. J.: Making global illumination friendly. In Hanrahan and Purgathofer [164], pp. 104–114. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Ward:rend95-104
- [458] WARD G. J., HECKBERT P. S.: Irradiance gradients. In Chalmers et al. [49], pp. 85–98. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Ward:rend92-85
- [459] WEISTROFFER R. P., WALCOTT K. R., HUMPHREYS G., LAWRENCE J.: Efficient Basis Decomposition for Scattered Reflectance Data. In Kautz and Pattanaik [198], pp. 207–218. EGSR07:207-218:2007
- [460] WENGER A., HAWKINS T., DEBEVEC P.: Optimizing color matching in a lighting reproduction system for complex subject and illuminant spectra. In Dutré et al. [99], pp. 249–259. WH:2003:OCM
- [461] WESTERMANN R., SOMMER O., ERTL T.: Decoupling polygon rendering from geometry using rasterization hardware. In Lischinski and Larson [241], pp. 45–56. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Westermann:rend99-45
- [462] WEXLER Y., FITZGIBBON A., ZISSERMAN A.: Image-based environment matting. In Debevec and Gibson [79]. WF:2002:IBE
- [463] WHITMAN S.: Parallel graphics rendering algorithms. In Chalmers et al. [49], pp. 123–134. Proc. 3rd Eurographics Rendering Workshop, Bristol, England, May 17–20, 1992. Whitman:rend92-123
- [464] WILKIE A., ULBRICHT C., TOBLER R. F., ZOTTI G., PURGATHOFER W.: An Analytical Model for Skylight Polarisation. In Keller and Jensen [202], pp. 387–397. EGSR04:387-397:2004

- [465] WILLMOTT A. J., HECKBERT P. S.: An empirical comparison of progressive and wavelet radiosity. In Dorsey and Slusallek [88], pp. 175–186. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Willmott:rend97-175
- [466] WILLMOTT A. J., HECKBERT P. S., GARLAND M.: Face cluster radiosity. In Lischinski and Larson [241], pp. 293–304. Proc. 10th Eurographics Rendering Workshop, Granada, Spain, June 21–23, 1999. Willmott:rend99-293
- [467] WIMMER M., SCHERZER D., PURGATHOFER W.: Light Space Perspective Shadow Maps. In Keller and Jensen [202], pp. 143–151. EGSR04:143-151:2004
- [468] WIMMER M., WONKA P.: Rendering time estimation for real-time rendering. In Dutré et al. [99], pp. 118–129. WW:2003:RTE
- [469] WONG T.-T., HENG P.-A., OR S.-H., NG W.-Y.: Image-based rendering with controllable illumination. In Dorsey and Slusallek [88], pp. 13–22. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Wong:rend97-13
- [470] WONG T.-T., NG W.-Y., HENG P.-A.: A geometry dependent texture generation framework for simulating surface imperfections. In Dorsey and Slusallek [88], pp. 139–150. Proc. 8th Eurographics Rendering Workshop, Saint Etienne, France, June 16–18, 1997. Wong:rend97-139
- [471] WU H., WEI L.-Y., WANG X., GUO B.: Silhouette Texture. In Akenine-Möller and Heidrich [5], pp. 285–296. EGSR06:285-296:2006
- [472] WYMAN C., HANSEN C.: Penumbra maps: Approximate soft shadows in real-time. In Dutré et al. [99], pp. 202–207. WH:2003:PMA
- [473] XIE F., TABELLION E., PEARCE A.: Soft Shadows by Ray Tracing Multilayer Transparent Shadow Maps. In Kautz and Pattanaik [198], pp. 265–276. EGSR07:265-276:2007
- [474] XU H., GOSSETT N., CHEN B.: PointWorks: Abstraction and Rendering of Sparsely Scanned Outdoor Environments. In Keller and Jensen [202], pp. 45–52. EGSR04:045-052:2004
- [475] XU S., LAU F. C. M., JIANG H., PAN Y.: A Novel Method for Fast and High-Quality Rendering of Hair. In Akenine-Möller and Heidrich [5], pp. 331–341. EGSR06:331-341:2006
- [476] XU W., FUSSELL D. S.: Constructing solvers for radiosity equation systems. In Sakas et al. [356], pp. 214–226. Proc. 5th Eurographics Rendering Workshop, Darmstadt, Germany, June 13–15, 1994. Xu:rend94-214
- [477] YAMAZAKI S., SAGAWA R., KAWASAKI H., IKEUCHI K., SAKAUCHI M.: Microfacet billboard. In Debevec and Gibson [79]. YS:2002:MB
- [478] YANG J. C., EVERETT M., BUEHLER C., MCMILLAN L.: A real-time distributed light field camera. In Debevec and Gibson [79]. YE:2002:ART
- [479] YOON S.-E., CURTIS S., MANOCHA D.: Ray Tracing Dynamic Scenes using Selective Restructuring. In Kautz and Pattanaik [198], pp. 73–84. EGSR07:73-84:2007
- [480] YU J., MCMILLAN L.: A Framework for Multiperspective Rendering. In Keller and Jensen [202], pp. 61–68. EGSR04:061-068:2004
- [481] YU T., WANG H., AHUJA N., CHEN W.-C.: Sparse Lumigraph Relighting by Illumination and Reflectance Estimation from Multi-View Images. In Akenine-Möller and Heidrich [5], pp. 41–50. EGSR06:041-050:2006
- [482] YUAN X., NGUYEN M. X., ZHANG N., CHEN B.: Stippling and Silhouettes Rendering in Geometry-Image Space. In Bala and Dutré [18], pp. 193–200. EGSR05:193-200:2005
- [483] ZELINKA S., GARLAND M.: Towards real-time texture synthesis with the jump map. In Debevec and Gibson [79]. ZG:2002:TRT
- [484] ZELINKA S., GARLAND M.: Interactive texture synthesis on surfaces using jump maps. In Dutré et al. [99], pp. 090–096. ZG:2003:ITS
- [485] ZHANG C., CHEN T.: A Self-Reconfigurable Camera Array. In Keller and Jensen [202], pp. 243–254. EGSR04:243-254:2004
- [486] ZHANG H.: Forward shadow mapping. In Drettakis and Max [93], pp. 131–138. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Zhang:rend98-131
- [487] ZHAO J., DOBKIN D.: Continuous algorithms for visibility: The space searching approach. In Cohen et al. [66], pp. 115–126. Proc. 4th Eurographics Rendering Workshop, Paris, France, June 14–16, 1993. Zhao:rend93-115
- [488] ZHUKOV S., INOES A., KRONIN G.: An ambient light illumination model. In Drettakis and Max [93], pp. 45–56. Proc. 9th Eurographics Rendering Workshop, Vienna, Austria, June 29–July 1, 1998. Zhukov:rend98-45
- [489] ZICKLER T., ENRIQUE S., RAMAMOORTHI R., BELHUMEUR P.: Reflectance Sharing: Image-based Rendering from a Sparse Set of Images. In Bala and Dutré [18], pp. 253–264. EGSR05:253-264:2005
- [490] ZIMMERMANN K., SHIRLEY P.: A two-pass solution to the rendering equation with a source visibility process. In Hanrahan and Purgathofer [164], pp. 284–295. Proc. 6th Eurographics Rendering Workshop, Dublin, Ireland, June 12–14, 1995. Zimmermann:rend95-284
- [491] ZWICKER M., MATUSIK W., DURAND F., PFISTER H.: Antialiasing for Automultiscopic 3D Displays. In Akenine-Möller and Heidrich [5], pp. 73–82. EGSR06:073-082:2006