

Animating Persian Floral Patterns

Katayoon Etemad , Faramarz F. Samavati , Przemyslaw Prusinkiewicz

University of Calgary, Canada

Abstract

In this paper we describe Persian floral patterns and explore techniques for animating them. We present several approaches for this dynamic recreation: visualizing pattern symmetries, illustrating their design process, and simulating plant growth. For creating a pleasant illusion of a never-ending movie, we also explore an infinitely cycling effect for self-similar patterns. The construction of animating patterns is started by interactive modeling of plant elements using NURBS. We then use procedural techniques to control the animation.

1. Introduction

Persian floral patterns have been used by professional artists for more than two thousand years to decorate and illuminate poems, religious books, goldware, carpets, and tiles (Figures 1 and 2). The patterns are characterized by curved shapes that are abstractions of plant elements such as flowers, stems, buds and leaves. They have both *translational* symmetry, repeating the elements using rotation, translation, reflection, and *dilational* symmetry, using scaled repetition (Figure 3). As in other classes of floral patterns [WZS98], they also use *analogy*, a more subtle form of repetition in which similar elements are used to induce a pleasing unity of form (Figure 2). Persian floral elements are highly detailed, delicate, and include many variations (Figures 2 and 4). The frequent use of spirals and Eslimi (a decorative leaf) stems (Figures 4a) are the other distinctive features. The patterns are often richly illuminated with a traditional set of colors. Gold and sky blue are frequently used. Therefore, the illuminated patterns are often called Tazhib, which is a derivation of the word *gold* in Arabic [Tak06], [Mac00].

Many efforts have been made to reproduce Islamic symmetric patterns and characterize their symmetry and geometry ([KS04], [AS92], [AS95]). Our goal is to describe and animate Persian floral patterns, the structure of which is different from purely geometric Islamic patterns. We thus consider the question of how to dynamically create these patterns. Animating patterns may create a mesmerizing illusion of "being alive". For example, the opening sequence in the *Casino Royale* movie is based on the use of dynamic patterns [Cas06]. Furthermore, animation may help to understand the complex structure and symmetries of patterns. Fi-



Figure 1: Left: Silver-gilt vessels, Right: A molding decoration, Sasanian 224-651 CE, (Copyright © 1998 CAIS, www.cais-soas.com).

nally, animation is an effective way for visualizing their skillful design process.

Problem Specification. There are several strategies to animate patterns. One possibility is to use animation to illustrate the design process used by traditional artists. The other possibility is to visualize the symmetries by dynamically extending a simple motif into a final complex pattern. A yet another way is inspired by the biological process of plant growth. In this case, the floral elements are gradually increased in size, while new details are added. By combining growth and panning, infinitely cycling dynamic patterns can be constructed, creating a pleasant illusion of a never-ending movie. In addition to aesthetic objectives, these dynamic productions may lead to new possibilities for learning and understanding the puzzling geometry of Persian floral patterns.

We begin the construction of animating patterns by mod-




Figure 2: Examples of traditional Persian floral patterns([Kho99], [Agh04]).




Figure 3: Forms of repetitions of elements [Agh04]. The pattern (a) has dilational symmetry. Translational symmetry has been used in (b). Note the spiral patterns in both (b) and (c).

eling the curves of plant elements using NURBS in an interactive fashion. We then use procedural techniques to control the animation, respecting repetitions and symmetries of the patterns.

2. Related work

The problem of creating symmetrical patterns has already been investigated in computer graphics. For example, Alexander introduced a Fortran program for generating the



Figure 4: Examples of plant elements in Persian floral patterns.

17 symmetry patterns in the plane [Ale75]. Gunn [Gun93] presented a software for interactive visualization of the discrete groups. Grünbaum and Shephard use a more sophisticated computer program based on group theory to generate periodic tilings and patterns in their book [GS86].

Many attempts have also been made for analyzing, designing and reproducing symmetric Islamic patterns and deriving their geometric description ([AS92], [AS95], [Kap00], [KS04]). These patterns are purely geometric, often dividing the plane into very regular star-shaped regions and polygons. However, Persian floral patterns include curved elements abstracted from real plants. Furthermore, they have dilational symmetry that creates a more dynamic repetition.

Wong *et al.* examined algorithmic methods for creating floral patterns to fit a particularly shaped region of the plane [WZS98]. They describe some of the principles of traditional floral ornamental design.

The closest work to our dynamic recreation of a traditional art is presented by Xu *et al.* [XXK*06] who introduced animation of Chinese paintings by extracting brush strokes automatically from the image of a given painting. Once the brush strokes have been extracted, animation can be generated by user manipulation at the stroke level. Due to the automatic extraction of brush strokes, the proposed technique has limitations when the painting involves overlapping strokes, dense strokes and variation of texture in the strokes. In our work, plant elements could also be automatically extracted from the scanned images of existing patterns using B-spline tracing techniques [SMA00]. However, to have more precise models and more control of the details of their elements, we interactively model the curves.

By definition, floral patterns are abstractions of real plants. Previous work on animating real plants [PL96] can be a source of inspiration for animating floral patterns.

3. Methodology

To animate Persian floral patterns for different purposes such as growth simulation or demonstrating the design process, we may need to model them differently. In some cases, although the pattern is 2D, the animation may be in 3D. Therefore, our target space for modeling, rendering, and animation is 3D.

A large variety of plant elements can be found in Persian floral patterns. For example, in [Kho00] there is a collection of more than three thousands different drawings of a category of Persian flowers. In our work, we have modeled and animated only a subset of Persian floral patterns.

3.1. Modeling

Persian floral patterns are highly geometric but not always symmetric. Arc and spirals are used extensively, although these are not the only types of curves found in the patterns. The basic elements should be designed using an interactive curve modeler; we have modeled them using NURBS. The control points and their weights provide enough flexibility for interactively modifying the shapes into their final form.

We begin by tracing basic elements of a drawing with a mouse or pen, which generates a sequence of points P_i . If these points are sparse and accurately entered, they are used directly to define an interpolating NURBS curve (a stroke) $N(u)$, where u is in $[0, 1]$. The control points C_j of $N(u)$ are determined such that $N(u)$ interpolates P_i (see [PT95]). If the points P_i are very dense and noisy, a least square curve approximation (see [PT95]) or multiresolution curve representation [SB99] can be used for detecting C_j . The resulting curves can be repetitively used to form the final composition. As an alternative method, automatic scan conversion techniques can be used to convert scanned drawings to NURBS. In [SMA00], a combination of B-spline curves,



Figure 5: Repeating the motif's curves using the control procedure.

corner points, arcs and line segments was automatically extracted from the scanned image of a drawing. This automatic conversion was performed by minimizing the distance of the model from the data and the energy (fairness) of the curves. However, we found that the interactive approach gives more flexibility as well as better possibilities for enforcing geometric and symmetric constraints.

To control repetition and symmetry in the patterns, we use procedural modeling. In the simplest case, this controlling procedure creates several instances of the element curves (NURBS) using basic transformations (Figure 5). In addition, a procedure may be created for different animation strategies, as discussed in Section 3.3.

3.2. Rendering

Persian floral patterns are richly illuminated by a specific collection of colors (e.g. gold and sky-blue). Although the exact production of a gold color is not an easy task, for our purposes we found that the standard Phong reflection model worked well enough. We thus take the advantage of 3D space and the standard graphics API for drawing curves and filling polygons.

3.3. Animation

We consider the following approaches to dynamically create the patterns: visualizing the symmetries, illustrating the design process, and animating growth. In addition to these approaches, for the sake of beauty, we have also created cyclic animation for some of the patterns. For these approaches, we employ separate techniques that are discussed in this section.

3.3.1. Visualizing the symmetry

Conceptualizing the process from the motif to the final composition using conventional media is a challenging task (Figure 6), so its animation is helpful (Figure 7). The approach described below is one of the simplest animation strategies.

Consider a transformation \mathbf{A} that acts on M composed of one or more motifs. The transformation \mathbf{A} is a combination of \mathbf{T}_v (translation by vector v), \mathbf{R}_θ (rotation by θ), and reflection (a 3D rotation about the reflection's axis by $\theta = \pi$). In addition to the angle, a pivot point for the 2D rotation and




Figure 6: A schematic representation for the symmetric pattern (a) [Ost98]. (b) shows the motif, (c) its Cayley diagram, and (d) three possible interrelations between motifs. Although all elements have been carefully labeled, it is hard to conceive how pattern (a) is built from (c).

a pivot axis for the reflection must be determined. For animating this process, we use a smooth transition between M and $A(M)$. This can be done by incrementing the parameters of the transformation (e.g. the rotation angle θ) when the time is increased. To do this, the initial and the final values of the parameters are set in the key-frames. The Figure 7 demonstrates this kind of animation for a sample pattern using snapshots of its animation.

3.3.2. Illustrating the design process

The animation of a pattern can be designed to reveal the step by step progression of the pattern's creation. While this effect is aesthetically appealing (as shown in the Figure 15) illustrating the drawing sequence used by traditional artists can also create a useful learning tool.

Although it is hard to find some precise rules for the drawing Persian floral patterns, there are some basic guidelines that are usually discussed for teaching the traditional design of these patterns [Tak06, Mac00]. For example, the design usually starts from larger, more important elements to the small parts. When there is a branch, it is drawn after the main stem. Spirals are usually drawn from outside to inside. The




Figure 7: Visualizing the symmetry in a simple pattern.




Figure 8: Dynamic drawing of strokes in a motif.

drawing process progresses from a simple form to a complex shape level by level.

These guidelines can be included into a control procedure (see Section 3.1) for directing the animation. All strokes in motifs are animated first, then the level of detail is gradually increased.

Drawing the strokes. To animate all the strokes in motifs, we can use the basic guidelines of the traditional art to define an order. We sort all the strokes from larger elements to smaller ones and from main strokes to the branch strokes. To simulate the effect of live drawing, we gradually elongate the stroke. Figure 8 shows the effect of this technique.

Levels-of-detail. The design steps of Persian floral pattern are usually drawn from large scale (low detail) to low scale (high detail) elements. This level-of-detail ap-



Figure 9: Levels of detail in design process of a leaf [Mac00].

proach has been clearly stated in the main traditional texts [Tak06, Mac00]. Figure 9 shows consecutive levels of detail while drawing an Eslimi leaf. Supporting the level-of-detail also helps to create view-dependent models whose details are generated based on the zoom/scale factor.

As evidenced in Figure 9, two kinds of modifications are introduced at different levels of the design process: adding new parts and revising the shape of strokes. For adding new parts, the proposed technique for drawing motif's strokes can be used again. We can simply draw the new parts as the latest set of strokes by adding it into the end of the stroke list. Revising the shape of strokes can be done by changing control points to locally deform the strokes. For global modification of the strokes, we can use 2D space deformation [SP86]. For the features (e.g. the color, texture and width of strokes), we use feature based 2D morphing techniques [Par02].

3.3.3. Animating growth

Inspired by nature, traditional artists have long tried to capture the beauty of plants in their designs. In this effort, they have abstracted the patterns (including their growth) and changed their shapes to fit their applications and its constraints (base media, number of colors). These floral patterns have been fastidiously refined during their long history [Tak06]. Although in the standard books [Tak06, Mac00, Agh04] the growth aspect of these patterns have not been directly discussed or evidenced, the presence of the growth in these patterns are indirectly induced. Longer stems have more flowers and leaves than shorter stems, and the size of the elements become smaller along the stem ([Agh04]). Spirals are also useful for suggesting growth (more cycles in the spirals means more mature pattern).

In fact, these observations can directly lead us to animation techniques. We animate the growth of a stem by elongating its stroke in time. Small-scale flowers and leaves are placed in suitable positions on the stem. As the stem grows, the flowers and leaves are scaled up by changing their scale



Figure 10: Some frames from the animation of growth in a Persian floral pattern.

factors in key frames. Figure 10 shows several snapshots of the growth animation of a pattern. For more sophisticated growth, substantial changes in flowers and leaves (e.g. conversion of a bud to a flower) can be simulated by using feature based 2D morphing.

3.3.4. Infinite cycling

Since all animations have a limited length, their playback times are also limited. Repeating the animation in an infinite loop provides a potential for creating an illusion of a never-ending animation. However, the transition from the last frame to the first frame usually has a noticeable discontinuity. Is it possible to create never-ending animation without the discontinuity issue? We show that Persian floral patterns (and also other symmetric patterns) can be animated without this discontinuity.

The main idea is that the patterns at the starting time t_s and the end time t_e should be identical. Then the repeat of the animation can create the desired effect. If the pattern has a translational symmetry, we can make a never-ending effect in which the elements seem to be infinitely constructed and moved away from the camera's viewport. Assume that we want to have a specific number of the generator pattern in the camera's viewport. For example, in Figure 11 (a), this number is three. To make the animation, we need to add one more copy of the generator as illustrated in Figure 11 (a) (the camera's viewport has been highlighted). At t_e , the viewport of the camera is set such that it includes the extra copy of the generator while one of its original generators is excluded as shown in Figure 11 (b). Although the camera's viewports at t_s and t_e are different, their containing patterns are exactly the same. Therefore, the smooth transition between these two camera settings and repeating the resulting animation create the desired effect. During this transition, strokes of the




Figure 11: Setup for infinite cycling effect. In the initial setup for translational symmetry, the extra copy is outside of the camera's viewport (a). In the final setup, the extra copy is included (b). For dynamic drawing, a subset of strokes in the intersection of the extra copy and the current camera's viewport are drawn (c). And finally, (d) shows a pattern with dilational symmetry.

extra copy of the generator can be also dynamically drawn to make the impression of a never-ending construction of the pattern. Figure 11 (c) shows an in-between frame in which the extra copy of the generator is partially drawn.

For patterns with dilational symmetry (e.g. (d) in Figure 11) we can create a more sophisticated cycling that induces the impression of an *infinite growth*. In these patterns the generator N_1 is repeated and scaled down several times. More formally, the copies of the generator are defined as

$$N_i = \mathbf{T}(N_{i-1}),$$

where \mathbf{T} is a contractive affine transformation and for $i = 2, \dots, k$. If N_k is small enough to be almost invisible during the animation, we can create the infinite growth effect. For doing this, we start with the original pattern $P_s = \bigcup_{i=1}^k N_i$ at the time t_s and use $P_e = \mathbf{T}^{-1}(\bigcup_{i=1}^k N_i)$ at the t_e . Notice that $\mathbf{T}^{-1}(N_2)$ is exactly the same as N_1 and in general $\mathbf{T}^{-1}(N_{i+1})$ is N_i for $i = 1 \dots k-1$. Therefore, P_e has only two differences with P_s : the absence of N_k (the smallest copy) and the existence of $\mathbf{T}^{-1}(N_1)$ (the largest copy). The absence of N_k is not noticeable. However, we need to handle the issue of the big copy. By appropriate selection of the camera's viewport, $\mathbf{T}^{-1}(N_1)$ can be excluded in P_e .

4. Results and Implementation

We have used Maya and its scripting language for implementing this work. Floral elements are designed interactively in the Maya environment. Each animation has a control procedure which is written in the scripting language. For




Figure 12: Snapshots of the animating symmetry started from a corner (a) and from the center (b).

example, Figures 5, 7 and 8 are created from snapshots of a pattern representing a simple flower form. Once we have the control procedure, many variations of the animation can be generated. For examples, in Figure 12 the symmetric expansion of the pattern is animated from a corner and the center, respectively. It is also possible to expand and animate the pattern in a parallel fashion starting from multiple points.

Figure 10 was created using snapshots of a more complex patterns inspired by traditional art (the right pattern in Figure 2).

Figure 13 is based on the patterns that are usually used for decorative title of books. This kind of patterns is called Shamse, which is the Arabic word for the *sun*; they have rotational symmetry, decorations similar to sun flares, and white space in the centre (used for the title) [Tak06]. We have created animations for the symmetry visualization and design process of this kind of patterns as demonstrated in (Figure 15).

Figure 14 shows several frames of infinite cycling animation for a pattern with dilational symmetry.

5. Conclusion and future work

In this paper, we have explored animation of Persian floral patterns. Our methodology is based on interactive modeling for the strokes and procedural techniques for animations.

Using Maya as implementation environment allowed us to do the basic experiments, and design the necessary prototypes in this research. However, a specialized system for interactive modeling and animation of the patterns is more desirable.

We modify animations by changing the source code of their control procedures. However, a visual programming paradigm for the control procedure would be useful.




Figure 13: A sample of Shamse patterns that are usually used for the title of books.



Figure 14: Frames from the infinite cycling animation of a Persian floral pattern with dilational symmetry.

Acknowledgment

We thank Reza Kianzad, Lynn Mercer, Luke Olsen, Sheelagh Carpendale, and Brendan Lane for their helpful comments and discussions. The support of the Natural Sciences and Engineering Research Council of Canada is gratefully acknowledged.

References

- [Agh04] AGHAMIRI A.: *Khatayee and Floral Patterns in Tazhib and Carpet Design (in Persian)*. Yassavoli Press, Tehran, Iran, 2004.
- [Ale75] ALEXANDER H.: The computer/plotter and the 17 ornamental design types. In *SIGGRAPH '75: Proceedings of the 2nd annual conference on Computer graphics and interactive techniques* (New York, NY, USA, 1975), ACM, pp. 160–167.
- [AS92] ABAS S. J., SALMAN A. S.: Geometric and group-theoretic methods for computer graphics studies of

islamic symmetric patterns. In *Computer Graphics Forum*, 11(1) (1992), pp. 43 – 53.

- [AS95] ABAS S. J., SALMAN A. S.: *Symmetries of Islamic Geometrical Patterns*. World Scientific, 1995.
- [Cas06] Casino royal movie, www.sonypictures.com/homevideo/casinoroyale/index.html, 2006.
- [GS86] GRÜNBAUM B., SHEPHARD G. C.: *Tilings and patterns*. W. H. Freeman & Co., New York, NY, USA, 1986.
- [Gun93] GUNN C.: Discrete groups and visualization of three-dimensional manifolds. In *SIGGRAPH '93: Proceedings of the 20th annual conference on Computer graphics and interactive techniques* (New York, NY, USA, 1993), ACM, pp. 255–262.
- [Kap00] KAPLAN C. S.: Computer generated islamic star patterns. In *Bridges 2000 Proceedings*, R. Sarhangi, Ed. (2000).
- [Kho99] *Quran Khodava*. Kian Ketab, Tehran, Iran, 1999.
- [Kho00] KHORRAMI P. P.: *Khatayee floweres in carpets, tilings and Tazhib (in Persian)*. Iranian Ministry of Culture and Islamic Guidance, Tehran, Iran, 2000.
- [KS04] KAPLAN C. S., SALESIN D. H.: Islamic star patterns in absolute geometry. *ACM Trans. Graph.* 23, 2 (2004), 97–119.
- [Mac00] MACHIANI H.: *Design and Tazhib (in Persian)*. Yassavoli Press, Tehran, Iran, 2000.
- [Ost98] OSTROMOUKHOV V.: Mathematical tools for computer-generated ornamental patterns. In *Lecture Notes In Computer Science; Vol. 1375 ISBN:3-540-64298-6* (1998), pp. 193 – 223.
- [Par02] PARENT R.: *Computer Animation: Algorithms and Techniques*. Morgan Kaufmann, San Francisco, USA, 2002.
- [PL96] PRUSINKIEWICZ P., LINDENMAYER A.: *The algorithmic beauty of plants*. Springer-Verlag New York, Inc., New York, NY, USA, 1996.
- [PT95] PIEGL L., TILLER W.: *The NURBS book*. Springer-Verlag, London, UK, 1995.
- [SB99] SAMAVATI F., BARTELS R.: Multiresolution curve and surface representation by reversing subdivision rules. *Computer Graphics Forum* 18, 2 (1999), 97–120.
- [SMA00] SAMAVATI F., MAHDAVI-AMIRI N.: A filtered b-spline model of scanned digital images. *Journal of Science* 10, 4 (2000), 258–264.
- [SP86] SEDERBERG T. W., PARRY S. R.: Free-form deformation of solid geometric models. In *SIGGRAPH '86: Proceedings of the 13th annual conference on Computer graphics and interactive techniques* (New York, NY, USA, 1986), ACM, pp. 151–160.




Figure 15: Illustration of the design process and Levels-of-details.

- [Tak06] TAKESTANI A. M.: *The art of Tazhib (in Persian)*. Soroush Press, Tehran, Iran, 2006.
- [WZS98] WONG M. T., ZONGKER D. E., SALESIN D. H.: Computer-generated floral ornament. In *Proceedings of ACM SIGGRAPH 98 (Orlando, FL, July 19–24, 1998)*. Series, *Computer Graphics Proceedings*, (1998).
- [XXK*06] XU S., XU Y., KANG S. B., SALESIN D. H., PAN Y., SHUM H. Y.: Animating chinese painting through stroke-based decomposition. *ACM Transaction on Graphics vol 25 no 2* (2006), 239–267.